

References (for *Healthy Sleep Habits, Happy Child* editions 1-4)

- Abe, K., Oda, N., and Amatori, M. (1984). Natural history and predictive significance of head-banging, head-rolling and breath-holding spells. *Developmental Medicine and Child Neurology*, 26, 644--648.
- Abe, K., Sasaki, H., Takebayashi, K., Seki, F., and Nambu, H. (1978). The development of circadian rhythm of human body temperature. *Journal of Interdisciplinary Cycle Research*, 9, 211--216.
- Acebo, C., and Carskadon, M. A. (2002). Influence of irregular sleep patterns on waking behavior. In M. A. Carskadon (ed.), *Adolescent Sleep Patterns: Biological, Social, and Psychological Influences* (220--235). Cambridge: Cambridge University Press.
- Aldrich, C. A., Sung, C., and Knop, C. (1945). The crying of newly born babies. I. The community phase. *Journal of Pediatrics*, 26, 313--335.
- Aldrich, C. A., Sung, C., Knop, C., Stevens, G., and Burchell, M. (1945). The crying of newly born babies. II. The individual phase. *Journal of Pediatrics*, 27, 89--96.
- Aldrich, C. A., Sung, C., and Knop, C. (1945). The crying of newly born babies. III. The early period at home. *Journal of Pediatrics*, 27, 428--435.
- Anders, T. F., Carskadon, M. A., Dement, W. C., and Harvey, K. (1978). Sleep habits of children and the identification of pathologically sleepy children. *Child Psychiatry and Human Development*, 9, 56--63.
- Anders, T. F., Carskadon, M. A., and Dement, W. C. (1980). Sleep and sleepiness in children and adolescents. *Pediatric Clinics of North America*, 27, 29--43.
- Anders, T. F., and Keener, M. A. (1985). Developmental course of nighttime sleep-wake patterns in full-term and premature infants during the first year of life: Part I. *Sleep*, 8, 173--192.
- Anders, T. F., Keener, M. A., and Kramer, H. (1985). Sleep-wake state

- organization, neonatal assessment and development in premature infants during the first year of life: Part II. *Sleep*, 8, 193--206.
- Anderson, D. R. (1979). Treatment of insomnia in a 13-year-old boy by relaxation training and reduction of parental attention. *Journal of Behavior Therapy and Experimental Psychiatry*, 10, 263--265.
- Anderson, O. W. (1951). The management of "infantile insomnia." *Journal of Pediatrics*, 38, 394--401.
- Archbold, K. H., Pituch, K. J., Panahi, P., and Chervin, R. D. (2002). Symptoms of sleep disturbances among children at two general pediatric clinics. *Journal of Pediatrics*, 140, 97--102.
- Armstrong, K. L., Van Haeringen, A. R., Dadds, M. R., and Cash, R. (1998). Sleep deprivation or postnatal depression in later infancy: Separating the chicken from the egg. *Journal of Paediatrics and Child Health*, 34, 260--262.
- Arvola, T., Tahvanainen, A., and Isolauri, E. (2000). Concerns and expectations of parents with atopic infants. *Pediatric Allergy and Immunology*, 11, 183--188.
- Asnes, R. S., Santulli, R., and Bemporad, J. R. (1981). Psychogenic chest pain in children. *Clinical Pediatrics*, 20, 788--791.
- Atkinson, E., Vetere, A., and Grayson, K. (1995). Sleep disruption in young children. The influence of temperament on the sleep patterns of pre-school children. *Child: Care, Health and Development*, 21, 233--246.
- Bader, G., Nevéus, T., Kruse, S., and Sillén, U. (2002). Sleep of primary enuretic children and controls. *Sleep*, 25, 579--583.
- Baekeland, F., and Lasky, R. (1966). Exercise and sleep patterns in college athletes. *Perceptual and Motor Skills*, 23, 1203--1207.
- Ballenger, W. L. (1914). *Diseases of the Nose, Throat and Ear, Medical and Surgical*, 4th ed. Philadelphia: Lea and Febiger.
- Barr, R. G., Kramer, M. S., and Pless, I. B. (1989). Feeding and temperament as determinants of early infant crying/fussing behavior. *Pediatrics*, 84, 514--521.
- Bates, J. E., Viken, R. J., Alexander, D. B., Beyers, J., and Stockton, L. (2002). Sleep and adjustment in preschool children: Sleep diary reports by

mothers relate to behavior reports by teachers. *Child Development*, 73, 62--75.

- Baum, K. T., Desai, A., Field, J., Miller, L. E., Rausch, J., and Beebe, D. W. (2014). Sleep restriction worsens mood and emotion regulation in adolescents. *Journal of Child Psychology and Psychiatry*, 55, 180--190.
- Bayer, J. K., Hiscock, H., Hampton, A., and Wake, M. (2007). Sleep problems in young infants and maternal mental and physical health. *Journal of Paediatrics and Child Health*, 43, 66--73.
- Beal, V. A. (1969). Termination of night feeding in infancy. *Journal of Pediatrics*, 75, 690--692.
- Belechri, M., Petridou, E., and Trichopoulos, D. (2002). Bunk versus conventional beds: A comparative assessment of fall injury risk. *Journal of Epidemiology and Community Health*, 56, 413--417.
- Bell, J. F., and Zimmerman, F. J. (2010). Shortened nighttime sleep duration in early life and subsequent childhood obesity. *Archives of Pediatrics and Adolescent Medicine*, 164, 840--845.
- Beltramini, A. U., and Hertzog, M. E. (1983). Sleep and bedtime behavior in preschool-aged children. *Pediatrics*, 71, 153--158.
- Berger, R. H., Miller, A. L., Seifer, R., Cares, S. R., and Lebourgeois, M. K. (2012). Acute sleep restriction effects on emotion responses in 30- to 36-month-old children. *Journal of Sleep Research*, 21, 235--246.
- Bernstein, P., Emde, R., and Campos, J. (1973). REM sleep in four-month infants under home and laboratory conditions. *Psychosomatic Medicine*, 35, 322--329.
- Blader, J. C., Koplewicz, H. S., Abikoff, H., and Foley, C. (1997). Sleep problems of elementary school children. A community survey. *Archives of Pediatrics and Adolescent Medicine*, 151, 473--480.
- Blum, N. J., Taubman, B., Tretina, L., and Heyward, R. Y. (2002). Maternal ratings of infant intensity and distractibility: Relationship with crying duration in the second month of life. *Archives of Pediatrics and Adolescent Medicine*, 156, 286--290.
- Boergers, J., Gable, C. J., and Owens, J. A. (2014). Later school start time is associated with improved sleep and daytime functioning in adolescents. *Journal of Developmental and Behavioral Pediatrics*, 35, 11--17.

- Bonnet, M. H. (1985). Effect of sleep disruption on sleep, performance, and mood. *Sleep*, 8, 11--19.
- Boon, W. H. (1982). The crying baby. *Journal of the Singapore Paediatric Society*, 24, 145--147.
- Bootzin, R. R. (1973). Stimulus control treatment for insomnia. *Proceedings of the American Psychological Association*, 7, 395--396.
- Bootzin, R. R., and Perlis, M. L. (1992). Nonpharmacologic treatments of insomnia. *Journal of Clinical Psychiatry*, 53 (Suppl.), 37--41.
- Brazelton, T. B. (1962). Crying in infancy. *Pediatrics*, 29, 579--588.
- Breslow, L. (1957). A clinical approach to infantile colic: A review of 90 cases. *Journal of Pediatrics*, 50, 196--206.
- Brown, S. L., and Stool, S. E. (1982). Behavior manifestations of sleep apnea in children. *Sleep*, 5, 200--201.
- Busby, K., Firestone, P., and Pivik, R. T. (1981). Sleep patterns in hyperkinetic and normal children. *Sleep*, 4, 366--383.
- Busby, K., and Pivik, R. T. (1983). Sleep patterns in children of superior intelligence. *Journal of Child Psychology and Psychiatry*, 24, 587--600.
- Butte, N. F., Jensen, C. L., Moon, J. K., Glaze, D. G., and Frost, J. D. (1992). Sleep organization and energy expenditure of breast-fed and formula-fed infants. *Pediatric Research*, 32, 514--519.
- Butte, W., Robertson, C., and Phelan, P. (1985). Snoring in children: Is it pathological? *Medical Journal of Australia*, 143, 335--336.
- Byars, K. C., Yolton, K., Rausch, J., Lanphear, B., and Beebe, D. W. (2012). Prevalence, patterns, and persistence of sleep problems in the first 3 years of life. *Pediatrics*, 129, e276--e284.
- Cai, D. J., Mednick, S. A., Harrison, E. M., Kanady, J. C., and Mednick, S. C. (2009). REM, not incubation, improves creativity by priming associative networks. *Proceedings of the National Academy of Sciences*, 106, 10130--10134.
- Camfield, C. S., Chaplin, S., Doyle, A.-B., Shapiro, S. H., Cummings, C., and Camfield, P. R. (1979). Side effects of phenobarbital in toddlers: Behavioral and cognitive aspects. *Journal of Pediatrics*, 95, 361--365.
- Canivet, C., Jakobsson, I., and Hagander, B. (2000). Infantile colic. Follow-up at four years of age: Still more "emotional." *Acta*

Paediatrica, 89, 13--17.

- Carey, W. B. (1972). Clinical applications of infant temperament measurements. *Journal of Pediatrics*, 81, 823--828.
- Carey, W. B. (1968). Maternal anxiety and infantile colic: Is there a relationship? *Clinical Pediatrics*, 7, 590--595.
- Carey, W. B. (1985). Temperament and increased weight gain in infants. *Journal of Developmental and Behavioral Pediatrics*, 6, 128--131.
- Carey, W. B., and McDevitt, S. C. (1978). Revision of the infant temperament questionnaire. *Pediatrics*, 61, 735--739.
- Carskadon, M. A. (ed.) (2002). *Adolescent Sleep Patterns: Biological, Social, and Psychological Influences*. Cambridge: Cambridge University Press.
- Carskadon, M. A., Vieira, C., and Acebo, C. (1993). Association between puberty and delayed phase preference. *Sleep*, 16, 258--262.
- Cason, H. (1935). The nightmare dream. *Psychological Monographs*, 46, i--51.
- Cellucci, A. J., and Lawrence, P. S. (1978). Individual differences in self-reported sleep variable correlations among nightmare sufferers. *Journal of Clinical Psychology*, 34, 721--725.
- Chervin, R. D., Archbold, K. H., Dillon, J. E., Panahi, P., Pituch, K. J., Dahl, R. E., and Guilleminault, C. (2002). Inattention, hyperactivity, and symptoms of sleep-disordered breathing. *Pediatrics*, 109, 449--456.
- Chervin, R. D., Dillon, J. E., Bassetti, C., Ganoczy, D. A., and Pituch, K. J. (1997). Symptoms of sleep disorders, inattention, and hyperactivity in children. *Sleep*, 20, 1185--1192.
- Christophersen, E. R. (1998). *Beyond Discipline: Parenting That Lasts a Lifetime*, 2nd ed. (127--128). Shawnee Mission, Kansas: Overland Press.
- Christophersen, E. R. (2002). Diagnosis and management of sleep problems. In E. R. Christophersen and S. M. VanScoyoc, *Treatments That Work with Children*. Washington, DC: American Psychological Association.
- Clarkson, S., Williams, S., and Silva, P. A. (1986). Sleep in middle childhood—a longitudinal study of sleep problems in a large sample of Dunedin children aged 5--9 years. *Journal of Paediatrics and Child Health*, 22, 31--35.

- Clifford, T. J., Campbell, M. K., Speechley, K. N., and Gorodzinsky, F. (2002). Infant colic: Empirical evidence of the absence of an association with source of early infant nutrition. *Archives of Pediatrics and Adolescent Medicine*, *156*, 1123--1128.
- Clifford, T. J., Campbell, M. K., Speechley, K. N., and Gorodzinsky, F. (2002). Sequelae of infant colic: Evidence of transient infant distress and absence of lasting effects on maternal mental health. *Archives of Pediatrics and Adolescent Medicine*, *156*, 1183--1188.
- Cobb, K. (2002). Missed ZZZ's, more disease?: Skimping on sleep may be bad for your health. *Science News*, *162*, 152--154.
- Collins, D. D., Scoggin, C. H., Zwillich, C. W., and Weil, J. V. (1978). Hereditary aspects of decreased hypoxic response. *Journal of Clinical Investigation*, *62*, 105--110.
- Conners, C. K. (1973). Rating scale for use in drug studies with children. *Psychopharmacology Bulletin*, *10* (Special Issue), 24--84.
- Coons, S., and Guilleminault, C. (1982). Development of sleep-wake patterns and non-rapid eye movement sleep stages during the first six months of life in normal infants. *Pediatrics*, *69*, 793--798.
- Coons, S., and Guilleminault, C. (1984). Development of consolidated sleep and wakeful periods in relation to the day/night cycle in infancy. *Developmental Medicine and Child Neurology*, *26*, 169--176.
- Coons, S., and Guilleminault, C. (1985). Motility and arousal in near-miss sudden infant death syndrome. *Journal of Pediatrics*, *107*, 728--732.
- Coren, S., and Searleman, A. (1985). Birth stress and self-reported sleep difficulty. *Sleep*, *8*, 222--226.
- Coulter, D. L., and Allen, R. J. (1982). Benign neonatal sleep myoclonus. *Archives of Neurology*, *39*, 191--192.
- Crockenberg, S. B., and Smith, P. (1982). Antecedents of mother-infant interaction and infant irritability in the first three months of life. *Infant Behavior and Development*, *5*, 105--119.
- Cullen, K. J. (1976). A six-year controlled trial of prevention of children's behavior disorders. *Journal of Pediatrics*, *88*, 662--666.
- Czeisler, C. A., Richardson, G. S., Coleman, R. M., Zimmerman, J. C., Moore-Ede, M. C., Dement, W. C., and Weitzman, E. D. (1981).

Chronotherapy: Resetting the circadian clocks of patients with delayed sleep phase insomnia. *Sleep*, 4, 1--21.

- Czeisler, C. A., Weitzman, E., Moore-Ede, M. C., Zimmerman, J. C., and Knauer, R. S. (1980). Human sleep: Its duration and organization depend on its circadian phase. *Science*, 210, 1264--1267.
- Dahl, R. E., Pelham, W. E., and Wierson, M. (1991). The role of sleep disturbances in attention deficit disorder symptoms: A case study. *Journal of Pediatric Psychology*, 16, 229--239.
- Daiss, S. R., Bertelson, A. D., and Benjamin, L. T. (1986). Napping versus resting: Effects on performance and mood. *Psychophysiology*, 23, 82--88.
- Deisher, R. W., and Goers, S. S. (1954). A study of early and later introduction of solids into the infant diet. *Journal of Pediatrics*, 45, 191--199.
- De Jong, E., Stocks, T., Visscher, T. L., HiraSing, R. A., Seidell, J. C., and Renders, C. M. (2012). Association between sleep duration and overweight: The importance of parenting. *International Journal of Obesity*, 36, 1278--1284.
- Dement, W. C., and Carskadon, M. A. (1982). Current perspectives on daytime sleepiness: The issues. *Sleep*, 5 (Suppl. 2), S56--S66.
- Deneberg, V. H., and Thoman, E. B. (1981). Evidence for a functional role for active (REM) sleep in infancy. *Sleep*, 4, 185--191.
- DeVries, M. W. (1984). Temperament and infant mortality among the Masai of East Africa. *American Journal of Psychiatry*, 141, 1189--1194.
- De Zambotti, M., Covassin, N., De Min Tona, G., Sarlo, M., and Stegagno, L. (2011). Sleep onset and cardiovascular activity in primary insomnia. *Journal of Sleep Research*, 20, 318--325.
- DiMario, F. J., Jr., and Emery, E. S. (1987). The natural history of night terrors. *Clinical Pediatrics*, 26, 505--511.
- Dinges, D. F., and Broughton, R. J. (eds.) (1989). *Sleep and Alertness: Chronobiological, Behavioral, and Medical Aspects of Napping*. New York: Raven Press.
- Dinges, D. F., Pack, F., Williams, K., Gillen, K. A., Powell, J. W., Ott, G. E., Aptowicz, C., and Pack, A. I. (1997). Cumulative sleepiness, mood disturbance, and psychomotor vigilance performance decrements

- during a week of sleep restricted to 4--5 hours per night. *Sleep*, 20, 267--277.
- Dixon, K. N., Monroe, L. J., and Jakim, S. (1981). Insomniac children. *Sleep*, 4, 313--318.
- Dobson, D., Lucassen, P. L., Miller, J. J., Vlieger, A. M., Prescott, P., and Lewith, G. (2012). Manipulative therapies for infantile colic. *Cochrane Database of Systematic Reviews*, 12:CD004796.
- Dollinger, S. J. (1985). Effects of a paradoxical intervention on a child's anxiety about sleep-- and sports--related performance. *Perceptual and Motor Skills*, 61, 83--86.
- Douglas, J., and Richman, N. (1984). *My Child Won't Sleep*. Hammondsworth, Middlesex, England: Penguin Books.
- Douglas, P. S., and Hill, P. S. (2011). The crying baby; what approach? *Current Opinion in Pediatrics*, 23, 523--529.
- Dreyfus-Brisac, C., and Monod, N. (1965). Sleep of premature and full-term neonates—A polygraphic study. *Proceedings of the Royal Society of Medicine*, 58, 6--7.
- Dunst, C. J., and Lingerfelt, B. (1985). Maternal ratings of temperament and operant learning in two-- to three--month--old infants. *Child Development*, 56, 555--563.
- Earls, F. (1980). Prevalence of behavior problems in 3--year--old children. *Archives of General Psychiatry*, 37, 1153--1157.
- Ednick, M., Cohen, A. P., McPhail, G. L., Beebe, D., Simakajornboon, N., and Amin, R. S. (2009). A review of the effects of sleep during the first year of life on cognitive, psychomotor, and temperament development. *Sleep*, 32, 1449--1458.
- Elias, M. F., Nicolson, N. A., Bora, C., and Johnston, J. (1986). Sleep/wake patterns of breast--fed infants in the first 2 years of life. *Pediatrics*, 77, 322--329.
- Emde, R. N., Gaensbauer, T. J., and Harmon, R. J. (1976). Emotional expression in infancy; a biobehavioral study. *Psychological Issues*, 10, 1--200.
- Emde, R. N., and Metcalf, D. R. (1970). An electroencephalographic study of behavioral rapid eye movement states in the human newborn. *Journal of*

Nervous and Mental Disease, 150, 376--386.

- Emde, R. N., Swedberg, J., and Suzuki, B. (1975). Human wakefulness and biological rhythms after birth. *Archives of General Psychiatry*, 32, 780--783.
- Emde, R. N., and Walker, S. (1976). Longitudinal study of infant sleep: Results of 14 subjects studied at monthly intervals. *Psychophysiology*, 13, 456--461.
- Epstein, R., Chillag, N., and Lavie, P. (1998). Starting times of school: Effects on daytime functioning of fifth-grade children in Israel. *Sleep*, 21, 250--256.
- Espie, C. A., and Lindsay, W. R. (1985). Paradoxical intention in the treatment of chronic insomnia: Six case studies illustrating variability in therapeutic response. *Behaviour Research and Therapy*, 23, 703--709.
- Etzel, B. C., and Gewirtz, J. L. (1967). Experimental modification of caretaker-maintained high-rate operant crying in a 6- and a 20-week-old infant (*Infans tyrannotearus*): Extinction of crying with reinforcement of eye contact and smiling. *Journal of Experimental Child Psychology*, 5, 303--317.
- Fagen, J. W., Ohr, P. S., Fleckenstein, L. K., and Ribner, D. R. (1985). The effect of crying on long-term memory in infancy. *Child Development*, 56, 1584--1592.
- Falbe, J., Davison, K. K., Franckle, R. L., Ganter, C., Gortmaker, S. L., Smith, L., Land, T., and Taveras, E. M. (2015). Sleep duration, restfulness, and screens in the sleep environment. *Pediatrics*, 135, e367-e-375.
- Fallone, G. P., Seifer, R., Acebo, C., and Carskadon, M. A. (2000). Prolonged sleep restriction in 11- and 12-year-old children: Effects on behavior, sleepiness, and mood. *Sleep*, 23 (Suppl. 2), A28.
- Fernandez-Mendoza, J., Vgontzas, A. N., Calhoun, S. L., Vgontzas, A., Tsaoussoglou, M., Gaines, J., Liao, D., Chrousos, G. P., and Bixler, E. O. (2014). Insomnia symptoms, objective sleep duration and hypothalamic-pituitary-adrenal activity in children. *European Journal of Clinical Investigation*, 44, 493--500.
- Fibiger, W., Singer, G., Miller, A. J., Armstrong, S., and Datar, M. (1984). Cortisol and catecholamine changes as functions of time-of-day and

- self-reported mood. *Neuroscience and Bio-behavioral Reviews*, 8, 523--530.
- Fischetti, M. (2014). Sleeping through high school. *Scientific American*, 311, 27.
- Fish, B. (1963). The maturation of arousal and attention in the first months of life: A study of variations in ego development. *Journal of the American Academy of Child and Adolescent Psychiatry*, 2, 253--270.
- Flemming, B. M. (1925). A study of sleep of young children. *Journal of the American Association of University Women*, 19, 25--28.
- Folkard, S., Hume, K. I., Minors, D. S., Waterhouse, J. M., and Watson, F. L. (1985). Independence of the circadian rhythm in alertness from the sleep/-wake cycle. *Nature*, 313, 678--679.
- Foster, J. C., Goodenough, F. L., and Anderson, J. E. (1928). The sleep of young children. *Journal of Genetic Psychology*, 35, 201--218.
- France, K. G. (1992). Behavior characteristics and security in sleep--disturbed infants treated with extinction. *Journal of Pediatric Psychology*, 17, 467--475.
- France, K. G., Blampied, N. M., and Wilkinson, P. (1991). Treatment of infant sleep disturbance by trimeprazine in combination with extinction. *Journal of Developmental and Behavioral Pediatrics*, 12, 308--314.
- Freedman, D. G. (1979). Ethnic differences in babies. *Human Nature*, 2, 36--43.
- Fukuda, K., and Ishihara, K. (2002). Routine evening naps and night-time sleep patterns in junior high and high school students. *Psychiatry and Clinical Neurosciences*, 56, 229--230.
- Fukuda, K., and Sakashita, Y. (2002). Sleeping pattern of kindergartners and nursery school children: Function of daytime nap. *Perceptual and Motor Skills*, 94, 219--228.
- Fukumoto, M., Mochizuki, N., Takeishi, M., Nomura, Y., and Segawa, M. (1981). Studies of body movements during night sleep in infancy. *Brain and Development*, 3, 37--43.
- Gaillard, J. M. (1985). Neurochemical regulation of the states of alertness. *Annals of Clinical Research*, 17, 175--184.

- Garrison, M. M., and Christakis, D. A. (2000). A systematic review of treatments for infant colic. *Pediatrics*, *106*, 184--190.
- Gau, S. S.-F., and Soong, W.-T. (1995). Sleep problems of junior high school students in Taipei. *Sleep*, *18*, 667--673.
- Giganti, F., Fagioli, I., Ficca, G., and Salzarulo, P. (2001). Polygraphic investigation of 24-h waking distribution in infants. *Physiology and Behavior*, *73*, 621--624.
- Glod, C. A., Teicher, M. H., Polcari, A., McGreenery, C. E., and Ito, Y. (1997). Circadian rest-activity disturbances in children with seasonal affective disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, *36*, 188--195.
- Golley, R. K., Maher, C. A., Matricciani, L., and Olds, T. S. (2013). Sleep duration or bedtime? Exploring the association between sleep timing behaviour, diet and BMI in children and adolescents. *International Journal of Obesity*, *37*, 546--551.
- Gómez, R. L., Bootzin, R. R., and Nadel, L. (2006). Naps promote abstraction in language-learning infants. *Psychological Science*, *17*, 670--674.
- Greenhill, L., Puig--Antich, J., Goetz, R., Hanlon, C., and Davies, M. (1983). Sleep architecture and REM sleep measures in prepubertal children with attention deficit disorder with hyperactivity. *Sleep*, *6*, 91--101.
- Gregory, A. M., Caspi, A., Moffitt, T. E., and Poulton, R. (2006). Family conflict in childhood: A predictor of later insomnia. *Sleep*, *29*, 1063--1067.
- Gregory, A. M., and O'Connor, T. G. (2002). Sleep problems in childhood: A longitudinal study of developmental change and association with behavioral problems. *Journal of the American Academy of Child and Adolescent Psychiatry*, *41*, 964--971.
- Gregory, A. M., Rijdsdijk, F. V., Lau, J. Y., Dahl, R. E., and Eley, T. C. (2009). The direction of longitudinal associations between sleep problems and depression symptoms: A study of twins aged 8 and 10 years. *Sleep*, *32*, 189--199.
- Gregory, A. M., Willis, T. A., Wiggs, L., Harvey, A. G., and the STEPS team. (2008). Presleep arousal and sleep disturbances in children. *Sleep*, *31*,

1745--1747.

- Groeger, J. A., Viola, A. U., Lo, J. C., von Schantz, M., Archer, S. N., and Dijk, D. J. (2008). Early morning executive functioning during sleep deprivation is compromised by a *PERIOD3* polymorphism. *Sleep*, *31*, 1159--1167.
- Gruber, R., Cassoff, J., Frenette, S., Wiebe, S., and Carrier, J. (2012). Impact of sleep extension and restriction on children's emotional lability and impulsivity. *Pediatrics*, *130*, e1155--e1161.
- Gruber, R., Laviolette, R., Deluca, P., Monson, E., Cornish, K., and Carrier, J. (2010). Short sleep is associated with poor performance on IQ measures in healthy school-age children. *Sleep Medicine*, *11*, 289--294.
- Grunwaldt, E., Bates, T., and Guthrie, D. (1960). The onset of sleeping through the night in infancy: Relation to introduction of solid food in the diet, birth weight, and position in the family. *Pediatrics*, *26*, 667--668.
- Guilleminault, C., and Dement, W. C. (1977). 235 cases of excessive daytime sleepiness. Diagnosis and tentative classification. *Journal of Neurological Sciences*, *31*, 13--27.
- Guilleminault, C., Eldridge, F. L., Simmons, F. B., and Dement, W. C. (1976). Sleep apnea in eight children. *Pediatrics*, *58*, 23--30.
- Gunnar, M. R., Malone, S., Vance, G., and Fisch, R. O. (1985). Coping with aversive stimulation in the neonatal period: Quiet sleep and plasma cortisol levels during recovery from circumcision. *Child Development*, *56*, 824--834.
- Guteilus, M. F., Kirsch, A. D., MacDonald, S., Brooks, M. R., and McErlean, T. (1977). Controlled study of child health supervision: Behavioral results. *Pediatrics*, *60*, 294--304.
- Hagenauer, M. H., and Lee, T. M. (2013). Adolescent sleep patterns in humans and laboratory animals. *Hormones and Behavior*, *64*, 270--279.
- Hall, B., Chesters, J., and Robinson, A. (2012). Infantile colic: A systematic review of medical and conventional therapies. *Journal of Paediatrics and Child Health*, *48*, 128--137.
- Harper, R. M., Leake, B., Miyahara, L., Mason, J., Hoppenbrouwers, T.,

- Sterman, M. B., and Hodgman, J. (1981). Temporal sequencing in sleep and waking states during the first 6 months of life. *Experimental Neurology*, 72, 294--307.
- Harrison, G. A. (1985). Stress, catecholamines, and sleep. *Aviation, Space, and Environmental Medicine*, 56, 651--653.
- Hauri, P., and Fisher, J. (1986). Persistent psychophysiological (learned) insomnia. *Sleep*, 9, 38--53.
- Hauri, P., and Olmstead, E. (1980). Childhood-onset insomnia. *Sleep*, 3, 59--65.
- Hayasaki, Y. (1927). On the sleeping hours at school, children of 6 to 20 years. *Psychological Abstracts*, 1, 439.
- Hayes, M. J., Parker, K. G., Sallinen, B., and Davare, A. A. (2001). Bedsharing, temperament, and sleep disturbance in early childhood. *Sleep*, 24, 657--662.
- Heine, R. G., Cameron, D. J. S., Chung, W. C., Hill, D. J., and Catto-Smith, A. G. (2002). Cause and effect of unhappy coexistence. GERD does not cause crying. *Journal of Pediatrics*, 140, 14--19.
- Henderson, J. M. T., France, K. G., Owens, J. L., and Blampied, N. M. (2010). Sleeping through the night: The consolidation of self-regulated sleep across the first year of life. *Pediatrics*, 126, e1081--e1087.
- Hicks, R. A., and Pellegrini, R. J. (1977). Anxiety levels of short and long sleepers. *Psychological Reports*, 41, 569--570.
- Hicks, R. A., and Pellegrini, R. J. (1991). The changing sleep habits of college students. *Perceptual and Motor Skills*, 72, 1106.
- Hill, D. J., and Hosking, C. S. (2000). Infantile colic and food hypersensitivity. *Journal of Pediatric Gastroenterology and Nutrition*, 30 (Suppl.), S67--S76.
- Hiscock, H., Cook, F., Bayer, J., Le, H. N. D., Mensah, F., Cann, W., Symon, B., and St. James-Roberts, I. (2014). Preventing early infant sleep and crying problems and postnatal depression: A randomized trial. *Pediatrics*, 133, e346--e354.
- Hiscock, H., and Wake, M. (2001). Infant sleep problems and postnatal depression: A community-based study. *Pediatrics*, 107, 1317--1322.

- Hiscock, H., and Wake, M. (2002). Randomised controlled trial of behavioural infant sleep intervention to improve infant sleep and maternal mood. *British Medical Journal*, *324*, 1062--1065.
- Hoddes, E., Zarcone, V., Smythe, H., Phillips, R., and Dement, W. C. (1973). Quantification of sleepiness: A new approach. *Psychophysiology*, *10*, 431--436.
- Howarth, E., and Hoffman, M. S. (1984). A multidimensional approach to the relationship between mood and weather. *British Journal of Psychology*, *75*, 15--23.
- Huber, R., Mäki, H., Rosanova, M., Casarotto, S., Canali, P., Casali, A. G., Tononi, G., and Massimini, M. (2013). Human cortical excitability increases with time awake. *Cerebral Cortex*, *23*, 332--338.
- Hugh, S. C., Wolter, N. E., Propst, E. J., Gordon, K. A., Cushing, S. L., and Papsin, B. C. (2014). Infant sleep machines and hazardous sound pressure levels. *Pediatrics*, *133*, 1--5.
- Hunsley, M., and Thoman, E. B. (2002). The sleep of co-sleeping infants when they are not co-sleeping: Evidence that co-sleeping is stressful. *Developmental Psychobiology*, *40*, 14--22.
- Hunziker, U. A., and Barr, R. G. (1986). Increased carrying reduces infant crying: A randomized controlled trial. *Pediatrics*, *77*, 641--648.
- Hysing, M., Harvey, A. G., Torgersen, L., Ystrom, E., Reichborn-Kjennerud, T., and Sivertsen, B. (2014). Trajectories and predictors of nocturnal awakenings and sleep duration in infants. *Journal of Developmental and Behavioral Pediatrics*, *35*, 309--316.
- Iglowstein, I., Jenni, O. G., Molinari, L., and Largo, R. H. (2003). Sleep duration from infancy to adolescence: Reference values and generational trends. *Pediatrics*, *111*, 302--307.
- Illingworth, R. S. (1954). "Three months' colic." *Archives of Disease in Childhood*, *29*, 167--174.
- Illingworth, R. S. (1955). Crying in infants and children. *British Medical Journal*, *1*, 75--78.
- Jacklin, C. N., Snow, M. E., Cozahapt, M., and Maccoby, E. E. (1980). Sleep pattern development from 6 through 33 months. *Journal of Pediatric Psychology*, *5*, 295--302.

- Johs, M. W., Gay, T.J. A., Masterton, J. P., and Bruce, D.W. (1971). Relationship between sleep habits, adrenocortical activity and personality. *Psychosomatic Medicine*, 33, 499--508.
- Jones, D. P. H., and Verduyn, C. M. (1983). Behavioral management of sleep problems. *Archives of Disease in Childhood*, 58, 442--444.
- Kahn, A., Mozin, M. J., Casimir, G., Montauk, L., and Blum, D. (1985). Insomnia and cow's milk allergy in infants. *Pediatrics*, 76, 880--884.
- Kahn, A., Van de Merckt, C., Rebuffat, E., Mozin, M. J., Sottiaux, M., Blum, D., and Hennart, P. (1989). Sleep problems in healthy preadolescents. *Pediatrics*, 84, 542--546.
- Kahyama, J., Shiike, T., and Hasegawa, T. (2000). Young children who are late sleepers sleep less than early sleepers. *Sleep*, 23 (Abstract Suppl. 2), A198--A199.
- Kales, A., Bixler, E. O., Vela--Bueno, A., Cadieux, R. J., Soldatos, C. R., and Kales, J. D. (1984). Biopsychobehavioral correlates of insomnia: Part III. Polygraphic findings of sleep difficulty and their relationship to psychopathology. *International Journal of Neuroscience*, 23, 43--56.
- Kales, A., Soldatos, C. R., Caldwell, A. B., Kales, J. D., Humphrey, F. J., Charney, D. S., and Schweitzer, P. K. (1980). Somnambulism: Clinical characteristics and personality patterns. *Archives of General Psychiatry*, 37, 1406--1410.
- Kaley, F., Reid, V., and Flynn, E. (2012). Investigating the biographic, social and temperamental correlates of young infants' sleeping, crying and feeding routines. *Infant Behavior and Development*, 35, 596--605.
- Karacan, I., Wolff, S. M., Williams, R. L., Hursch, C. J., and Webb, W. B. (1968). The effects of fever on sleep and dream patterns. *Psychosomatics*, 9, 331--339.
- Karelitz, S., Fisichelli, V. R., Costa, J., Karelitz, R., and Rosenfeld, L. (1964). Relation of crying activity in early infancy to speech and intellectual development at age three years. *Child Development*, 35, 769--777.
- Keefe, M. R., Kotzer, A. M., Froese--Fretz, A., and Curtin, M. (1996). A longitudinal comparison of irritable and nonirritable infants. *Nursing Research*, 45, 4--9.

- Keener, M. A., Zeanah, C. H., and Anders, T. F. (1988). Infant temperament, sleep organization, and nighttime parental interventions. *Pediatrics*, *81*, 762--771.
- Kelly, Y., Kelly, J., and Sacker, A. (2013). Changes in bedtime schedules and behavioral difficulties in 7 year old children. *Pediatrics*, *132*, e1184--e1193.
- Keys, K. M., Maslowsky, J., Hamilton, A., and Schulenberg, J. (2015). The great sleep recession: Changes in sleep duration among US adolescents, 1991--2012. *Pediatrics*, *135*, 460--468.
- Kilgore, W. D., Kahn--Greene, E. T., Lipizzi, E. L., Newman, R. A., Kamimori, G. H., and Balkin, T. J. (2008). Sleep deprivation reduces perceived emotional intelligence and constructive thinking skills. *Sleep Medicine*, *9*, 517--526.
- Kim, S. J., Lee, Y. J., Cho, S. J., Cho, I. H., Lim, W., and Lim, W. (2011). Relationship between weekend catch-up sleep and poor performance on attention tasks in Korean adolescents. *Archives of Pediatrics and Adolescent Medicine*, *165*, 806--812.
- Kirjavainen, J., Kirjavainen, T., Huhtala, V., Lehtonen, L., Korvenranta, H., and Kero, P. (2001). Infants with colic have a normal sleep structure at 2 and 7 months of age. *Journal of Pediatrics*, *138*, 218--223.
- Kirmil--Gray, K., Eagleston, J. R., Gibson, E., and Thoresen, C. E. (1985). Sleep disturbance in adolescents: Sleep quality, sleep habits, beliefs about sleep, and daytime functioning. *Journal of Youth and Adolescence*, *13*, 375--384.
- Klackenberg, G. (1982). Sleep behaviour studied longitudinally. *Acta Paediatrica Scandinavica*, *71*, 501--506.
- Klackenberg, G. (1982). Somnambulism in childhood—prevalence, course, and behavioral correlations: A prospective longitudinal study (6--16 years). *Acta Paediatrica Scandinavica*, *71*, 495--499.
- Klatskin, E. H., Jackson, E. B., and Wilkin, L. C. (1956). The influence of degree of flexibility in maternal child care practices on early child behavior. *American Journal of Orthopsychiatry*, *26*, 79--93.
- Klein, G. L., Ziering, R. W., Girsh, L. S., and Miller, M. F. (1985). The allergic irritability syndrome: Four case reports and a position statement

from the Neuroallergy Committee of the American College of Allergy. *Annals of Allergy*, 55, 22--24.

- Klein, K. E., Herrmann, R., Kuklinski, P., and Hans, M. W. (1977). Circadian performance rhythms: Experimental studies in air operations. In R. R. Mackie (ed.), *Vigilance: Theory, Operational Performance, and Physiological Correlates* (NATO Conference Series III, Human Factors, Vol. 3, 111--132). New York: Plenum Press.
- Kohyama, J., Shiike, T., Ohinata-Sugimoto, J., and Hasegawa, T. (2002). Potentially harmful sleep habits of 3-year-old children in Japan. *Journal of Developmental and Behavioral Pediatrics*, 23, 67--70.
- Kolata, G. (1982). Food affects human behavior. *Science*, 218, 1209--1210.
- Kotagal, S. (2008). Parasomnias of childhood. *Current Opinion in Pediatrics*, 20, 659--665.
- Kravath, R. E., Pollak, C. P., and Borowiecki, B. (1977). Hypoventilation during sleep in children who have lymphoid airway obstruction treated by nasopharyngeal tube and T and A. *Pediatrics*, 59, 865--871.
- Kurth, S., Achermann, P., Rusterholz, T., and LeBourgeois, M. K. (2013). Development of brain EEG connectivity across early childhood: Does sleep play a role? *Brain Sciences*, 3, 1445--1460.
- Kurtoglu, S., Uzüm, K., Hallac, I. K., and Coskum, A. (1997). 5-hydroxy-3-indole acetic acid levels in infantile colic: Is serotonergic tonus responsible for this problem? *Acta Paediatrica*, 86, 764--765.
- Lam, J. C., Mahone, E. M., Mason, T. B. A., and Scharf, S. M. (2011). The effects of napping on cognitive function in preschoolers. *Journal of Developmental and Behavioral Pediatrics*, 32, 90--97.
- Lang, C., Brand, S., Feldmeth, A. K., Holsboer-Trachsler, E., Pühse, U., and Gerber, M. (2013). Increased self-reported and objectively assessed physical activity predict sleep quality among adolescents. *Physiology and Behavior*, 120, 46--53.
- Largo, R. H., and Hunziker, U. A. (1984). A developmental approach to the management of children with sleep disturbances in the first three years of life. *European Journal of Pediatrics*, 142, 170--173.
- Larson, M. C., Gunnar, M. R., and Hertzgard, L. (1991). The effects of

- morning naps, car trips, and maternal separation on adrenocortical activity in human infants. *Child Development*, 62, 362--372.
- Latz, S., Wolf, A. W., and Lozoff, B. (1999). Cosleeping in context: Sleep practices and problems in young children in Japan and the United States. *Archives of Pediatrics and Adolescent Medicine*, 153, 339--346.
- Lavigne, J. V., Arend, R., Rosenbaum, D., Smith, A., Weissbluth, M., Binns, H. J., and Christoffel, K. K. (1999). Sleep and behavior problems among preschoolers. *Journal of Developmental and Behavioral Pediatrics*, 20, 164--169.
- Lehtonen, L., Korhonen, T., and Korvenranta, H. (1994). Temperament and sleeping patterns in colicky infants during the first year of life. *Journal of Developmental and Behavioral Pediatrics*, 15, 416--420.
- Lester, B. M., and Boukydis, C. F. Z. (eds.) (1985). *Infant Crying: Theoretical and Research Perspectives*. New York: Plenum Press.
- Leung, A. K., and Robson, W. L. (1990). Head banging. *Journal of the Singapore Paediatric Society*, 32, 12--17.
- Lewis, M. (1997). *Altering Fate: Why the Past Does Not Predict the Future*. New York: Guilford Press.
- Lind, M. G., and Lundell, B. P. W. (1982). Tonsillar hyperplasia in children: A cause of obstructive sleep apneas, CO₂ retention, and retarded growth. *Archives of Otolaryngology*, 108, 650--654.
- Liu, X., Sun, Z., Uchiyama, M., Shibui, K., Kim, K., and Okawa, M. (2000). Prevalence and correlates of sleep problems in Chinese schoolchildren. *Sleep*, 23, 1053--1062.
- Liu, X., Uchiyama, M., Okawa, M., and Kurita, H. (2000). Prevalence and correlates of self-reported sleep problems among Chinese adolescents. *Sleep*, 23, 27--34.
- Lodemore, M., Petersen, S. A., and Wailoo, M. P. (1991). Development of night time temperature rhythms over the first six months of life. *Archives of Disease in Childhood*, 66, 521--524.
- Lonstein, J. S. Regulation of anxiety during the postpartum period. (2007). *Frontiers in Neuroendocrinology*, 28, 115--141.
- Louis, J., Cannard, C., Bastuji, H., and Challamel, M.-J. (1997). Sleep

ontogenesis revisited: A longitudinal 24-hour home polygraphic study on 15 normal infants during the first two years of life. *Sleep*, 20, 323--333.

- Lounsbury, M. L., and Bates, J. E. (1982). The cries of infants of differing levels of perceived temperamental difficultness: Acoustic properties and effects on listeners. *Child Development*, 53, 677--686.
- Lozoff, B., Smith, J. B., Kaciroti, N., Clark, K. M., Guevara, S., and Jimenez, E. (2013). Functional significance of early-life iron deficiency: Outcomes at 25 years. *Journal of Pediatrics*, 163, 1260--1266.
- Lozoff, B., Wolf, A. W., and Davis, N. S. (1984). Co-sleeping in urban families with young children in the United States. *Pediatrics*, 74, 171--182.
- Lozoff, B., Wolf, A. W., and Davis, N. S. (1985). Sleep problems seen in pediatric practice. *Pediatrics*, 75, 477--483.
- Lucey, D. R., Hauri, P., and Snyder, M. L. (1981). The wakeful "type A" student. *International Journal of Psychiatry in Medicine*, 10, 333--337.
- Lyons, T. J., and Oates, R. K. (1993). Falling out of bed: A relatively benign occurrence. *Pediatrics*, 92, 125--127.
- Macknin, M. L., Piedmonte, M., Jacobs, J., and Skibinski, C. (2000). Symptoms associated with infant teething: A prospective study. *Pediatrics*, 105, 747--752.
- Mah, C. D., Mah, K. D., Kerzirian, E. J., and Dement, W. C. (2011). The effects of sleep extension on the athletic performance of collegiate basketball players. *Sleep*, 34, 943--950.
- Mahowald, M. W., and Schenck, C. H. (1992). Dissociated states of wakefulness and sleep. *Neurology*, 42 (Suppl. 6), 44--51.
- Manber, R., Bootzin, R. R., Acebo, C., and Carskadon, M. A. (1996). The effects of regularizing sleep-wake schedules on daytime sleepiness. *Sleep*, 19, 432--441.
- Mangat, D., Orr, W. C., and Smith, R. O. (1977). Sleep apnea, hypersomnolence, and upper airway obstruction secondary to adenotonsillar enlargement. *Archives of Otolaryngology*, 103, 383--386.
- Manni, R., Ratti, M. T., Marchioni, E., Castelnovo, G., Murelli, R., Sartori, I., Galimberti, C. A., and Tartara, A. (1997). Poor sleep in adolescents: A study of 869 17-year-old Italian secondary school students. *Journal*

of Sleep Research, 6, 44--49.

- Mantz, J., Muzet, A., and Neiss, R. (1995). Sleep in 6-year-old children: Survey in school environment. *Archives of Pediatrics*, 2, 215--220.
- Marks, G. A., Shaffery, J. P., Oksenberg, A., Speciale, S. G., and Roffwarg, H. P. (1995). A functional role for REM sleep in brain maturation. *Behavioural Brain Research*, 69, 1--11.
- Martin, J., Hiscock, H., Hardy, P., Davey, B., and Wake, M. (2007). Adverse associations of infant and child sleep problems and parent health: An Australian population study. *Pediatrics*, 119, 947--955.
- Martin, S. E., Engleman, H. M., Deary, I. J., and Douglas, N. J. (1996). The effect of sleep fragmentation on daytime function. *American Journal of Respiratory and Critical Care Medicine*, 153, 1328--1332.
- Matheny, A. D., and Dolan, A. B. (1974). Childhood sleep characteristics and reading achievement. *JSAS Catalog of Selected Documents in Psychology*, 4, 76.
- Matheny, A. P., Jr., Wilson, R. S., Dolan, A. B., and Krantz, J. Z. (1981). Behavioral contrasts in twinships: Stability and patterns of differences in childhood. *Child Development*, 52, 579--588.
- Matricciani, L., Blunden, S., Rigney, G., Williams, M. T., and Olds, T. S. (2013). Children's sleep needs: Is there sufficient evidence to recommend optimal sleep for children? *Sleep*, 36, 527--534.
- Matricciani, L., Olds, T., and Petkov, J. (2012). In search of lost sleep: Secular trends in the sleep time of school-aged children and adolescents. *Sleep Medicine Reviews*, 16, 203--211.
- Mauer, K. W., Staats, B. A., and Olsen, K. D. (1983). Upper airway obstruction and disordered nocturnal breathing in children. *Mayo Clinic Proceedings*, 58, 349--353.
- Maziade, M., Boudreault, M., Côté, R., and Thivierge, J. (1986). Influence of gentle birth delivery procedures and other perinatal circumstances on infant temperament: Developmental and social implications. *Journal of Pediatrics*, 108, 134--136.
- McGraw, K., Hoffmann, R., Harker, C., and Herman, J. H. (1999). The development of circadian rhythms in a human infant. *Sleep*, 22, 303--310.

- Meyer, J. E., and Thaler, M. M. (1971). Colic in low birthweight infants. *American Journal of Diseases of Children*, 122, 25--27.
- Middlemiss, W., Granger, D. A., Goldberg, W. A., and Nathans, L. (2012). Asynchrony of mother--infant hypothalamic--pituitary--adrenal axis activity following extinction of infant crying responses induced during the transition to sleep. *Early Human Development*, 88, 227--232.
- Miller, A. L., Lumeng, J. C., and LeBourgeois, M. K. (2015). Sleep patterns and obesity in childhood. *Current Opinion in Endocrinology, Diabetes and Obesity*, 22, 41--47.
- Minde, K., Faucon, A., and Falkner, S. (1994). Sleep problems in toddlers: Effects of treatment on their daytime behavior. *Journal of the American Academy of Child and Adolescent Psychiatry*, 33, 1114--1121.
- Minde, K., Popiel, K., Leos, N., Falkner, S., Parker, K., and Handley--Derry, M. (1993). The evaluation and treatment of sleep disturbances in young children. *Journal of Child Psychology and Psychiatry*, 34, 521--533.
- Mindell, J. A., and Barrett, K. M. (2002). Nightmares and anxiety in elementary--aged children: Is there a relationship? *Child: Care, Health and Development*, 28, 317--322.
- Mindell, J. A., Bartle, A., Ahn, Y., Ramamurthy, M. B., Huong, H. T., Kohyama, J., Li, A. M., Ruangdaraganon, N., Sekartini, R., Teng, A., and Goh, D. Y. (2013). Sleep education in pediatric residency programs: A cross--cultural look. *BMC Research Notes*, 6, 130.
- Mindell, J. A., Kuhn, B., Lewin, D. S., Meltzer, L. J., and Sadeh, A. (2006). Behavioral treatment of bedtime problems and night wakings in infants and young children. *Sleep*, 29, 1263--1276.
- Mindell, J. A., Sadeh, A., Wiegand, B., How, T. H., and Goh, D. Y. (2010). Cross--cultural differences in infant and toddler sleep and maternal mood. *Sleep Medicine*, 11, 274--280.
- Mindell, J. A., Telofski, L. S., Wiegand, B., and Kurtz, E. S. (2009). A nightly bedtime routine: Impact on sleep in young children. *Sleep*, 32, 599--606.
- Minors, D. S., and Waterhouse, J. M. (1984). The sleep--wakefulness rhythm, exogenous and endogenous factors (in man). *Experientia*, 40, 410--416.
- Monnier, M., and Gaillard, J. M. (1980). Biochemical regulation of sleep.

Experientia, 36, 21--24.

- Montgomery-Downs, H. E., and Gozal, D. (2006). Toddler behavior following polysomnography: Effects of unintended sleep disturbance. *Sleep*, 29, 1282--1287.
- Moon, R. Y. (2011). SIDS and other sleep-related infant deaths: Expansion of recommendations for a safe infant sleeping environment. *Pediatrics*, 128, 1030--1039.
- Moore, B. A., Friman, P. C., Fruzzetti, A. E., and MacAleese, K. (2007). Brief report: Evaluating the Bedtime Pass Program for child resistance to bedtime—a randomized, clinical trial. *Journal of Pediatric Psychology*, 32, 283--287.
- Morgenthaler, T. I., Owens, J., Alessi, C., Boehlecke, B., Brown, T. M., Coleman, J., Jr., Friedman, L., Kapur, V. K., Lee-Chiong, T., Pancer, J., and Swick, T. J. (2006). Practice parameters for behavioral treatment of bedtime problems and night wakings in infants and young children. *Sleep*, 29, 1277--1281.
- Morrison, D. N., McGee, R., and Stanton, W. R. (1992). Sleep problems in adolescence. *Journal of American Academy of Child and Adolescent Psychiatry*, 31, 94--99.
- Neelon, S. E. B., Duffey, K., and Slining, M. M. (2014). Regulations to promote healthy sleep practices in child care. *Pediatrics*, 134, 1167--1174.
- Neumann, M., and Jacobs, K. W. (1992). Relationship between dietary components and aspects of sleep. *Perceptual and Motor Skills*, 75, 873--874.
- Nevés, T., Cnattingius, S., Olsson, U., and Hetta, J. (2001). Sleep habits and sleep problems among a community sample of schoolchildren. *Acta Paediatrica*, 90, 1450--1455.
- Nicassio, P. M., and Buchanan, D. C. (1981). Clinical application of behavior therapy for insomnia. *Comprehensive Psychiatry*, 22, 512--521.
- Nikolopoulou, M., and St. James-Roberts, I. (2003). Preventing sleeping problems in infants who are at risk of developing them. *Archives of Disease in Childhood*, 88, 108--111.
- Nixon, G. M., Thompson, J. M. D., Han, D. Y., Becroft, D. M., Clark, P. M.,

- Robinson, E., Waldie, K. E., Wild, C. J., Black, P. N., and Mitchell, E. A. (2008). Short sleep duration in middle childhood: Risk factors and consequences. *Sleep, 31*, 71--78.
- Norvenius, G., Widerlöv, E., and Lönnerholm, G. (1979). Phenylpropanolamine and mental disturbances. *Lancet, 2*, 1367--1368.
- Novosad, C., Freudigman, K., and Thoman, E. B. (1999). Sleep patterns in newborns and temperament at eight months: A preliminary study. *Journal of Developmental and Behavioral Pediatrics, 20*, 99--105.
- O'Connor, L. H., and Feder, H. H. (1984). Estradiol and progesterone influence a serotonin mediated behavioral syndrome (myoclonus) in female guinea pigs: Comparison with steroid effects on reproductive behavior. *Brain Research, 293*, 119--125.
- Ogden, T. H. (1985). The mother, the infant and the matrix: Interpretations of aspects of the work of Donald Winnicott. *Contemporary Psychoanalysis, 21*, 346--371.
- Okami, P., Weisner, T., and Olmstead, R. (2002). Outcome correlates of parent--child bedsharing: An eighteen--year longitudinal study. *Journal of Developmental and Behavioral Pediatrics, 23*, 244--253.
- Olafsdottir, E., Forshei, G., Fluge, G., and Markestad, T. (2001). Randomised controlled trial of infantile colic treated with chiropractic spinal manipulation. *Archives of Disease in Childhood, 84*, 138--141.
- Olds, T. S., Maher, C. A., and Matricciani, L. (2011). Sleep duration or bedtime? Exploring the relationship between sleep habits and weight status and activity patterns. *Sleep, 34*, 1299--1307.
- Onishi, S., Miyazawa, G., Nishimura, Y., Sugiyama, S., Yamakawa, T., Inagaki, H., Katoh, T., Itoh, S., and Isobe, K. (1983). Postnatal development of circadian rhythm in serum cortisol levels in children. *Pediatrics, 72*, 399--404.
- Øster, J., and Nielsen, A. (1972). Growing pains: A clinical investigation of a school population. *Acta Paediatrica Scandinavica, 61*, 329--334.
- Owens, J., Maxim, R., McGuinn, M., Nobile, C., Msall, M., and Alario, A. (1999). Television--viewing habits and sleep disturbance in school children. *Pediatrics, 104*, e27.
- Owens, J., Opiari, L., Nobile, C., and Spirito, A. (1998). Sleep and daytime

- behavior in children with obstructive sleep apnea and behavioral sleep disorders. *Pediatrics*, 102, 1178--1184.
- Owens, J. A. (2009). Pharmacotherapy of pediatric insomnia. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48, 99--107.
- Owens, J. A. (2014). School start times for adolescents. *Pediatrics*, 134, 642--649.
- Owens, J. A., Belon, K., and Moss, P. (2010). Impact of delaying school start time on adolescent sleep, mood, and behavior. *Archives of Pediatrics and Adolescent Medicine*, 164, 608--614.
- Owens-Stively, J., Frank, N., Smith, A., Hagino, O., Spirito, A., Arrigan, M., and Alario, A. J. (1997). Child temperament, parenting discipline style, and daytime behavior in childhood sleep disorders. *Journal of Developmental and Behavioral Pediatrics*, 18, 314--321.
- Papousek, M., and von Hofacker, N. (1998). Persistent crying in early infancy: A non-trivial condition of risk for the developing mother-infant relationship. *Child: Care, Health and Development*, 24, 395--424.
- Parmelee, A. H. (1977). Remarks on receiving the C. Anderson Aldrich Award. *Pediatrics*, 59, 389--395.
- Parmelee, A. H., Schulz, H. R., and Disbrow, M. A. (1961). Sleep patterns of the newborn. *Journal of Pediatrics*, 58, 241--250.
- Parmelee, A. H., Wenner, W. H., and Schulz, H. R. (1964). Infant sleep patterns: From birth to 16 weeks of age. *Journal of Pediatrics*, 65, 576--582.
- Paulozzi, L., and Sells, M. (2002). Variation in homicide risk during infancy—United States, 1989--1998. *Morbidity and Mortality Weekly Report*, 51, 187--189.
- Petzoldt, J., Wittchen, H.-U., Wittich, J., Einsle, F., Hofler, M., and Martini, J. (2014). Maternal anxiety disorders predict excessive crying: A prospective longitudinal study. *Archives of Disease in Childhood*, 99, 800--806.
- Pierce, P. P. (1948). Delayed onset of "three months'" colic in premature infants. *American Journal of Diseases of Children*, 75, 190--192.
- Ponsonby, A.-L., Dwyer, T., Gibbons, L. E., Cochrane, J. A., and Wang, Y.-G.

- (1993). Factors potentiating the risk of sudden infant death syndrome associated with the prone position. *New England Journal of Medicine*, 329, 377--382.
- Porrino, L. J., Rapoport, J. L., Behar, D., Sceery, W., Ismond, D. R., and Bunney, W. E. (1983). A naturalistic assessment of the motor activity of hyperactive boys. I. Comparison with normal controls. *Archives of General Psychiatry*, 40, 681--687.
- Posadzki, P., Lee, M. S., and Ernst, E. (2013). Osteopathic manipulative treatment for pediatric conditions: A systematic review. *Pediatrics*, 132, 140--152.
- Price, A. M. H., Brown, J. E., Bittman, M., Wake, M., Quach, J., and Hiscock, H. (2014). Children's sleep patterns from 0 to 9 years: Australian population longitudinal study. *Archives of Disease in Childhood*, 99, 119--125.
- Price, V. A., Coates, T. J., Thoresen, C. E., and Grinstead, O. A. (1978). Prevalence and correlates of poor sleep among adolescents. *American Journal of Diseases of Children*, 132, 583--586.
- Radbill, S. X. (1965). Teething in fact and fancy. *Bulletin of the History of Medicine*, 39, 339--345.
- Radesky, J. S., Silverstein, M., Zuckerman, B., and Christakis, D. A. (2014). Infant self-regulation and early childhood media exposure. *Pediatrics*, 133, e1172--e1178.
- Radesky, J. S., Zuckerman, B., Silverstein, M., Rivara, F. P., Barr, M., Taylor, J. A., Lengua, L. J., and Barr, R. G. (2013). Inconsolable infant crying and maternal postpartum depressive symptoms. *Pediatrics*, 131, e1857--e1864.
- Räihä, H., Lehtonen, L., Korhonen, T., and Korvenranta, H. (1996). Family life 1 year after infantile colic. *Archives of Pediatrics and Adolescent Medicine*, 150, 1032--1036.
- Randazzo, A. C., Muehlbach, M. J., Schweitzer, P. K., and Walsh, J. K. (1998). Cognitive function following acute sleep restriction in children ages 10--14. *Sleep*, 21, 861--868.
- Randazzo, A. C., Schweitzer, P. K., and Walsh, J. K. (1998). Cognitive function following 3 nights of sleep restriction in children 10--14.

Sleep, 21 (Suppl.), A249.

- Rautava, P., Lehtonen, L., Helenius, H., and Sillanpää, M. (1995). Infantile colic: Child and family three years later. *Pediatrics*, 96, 43--47.
- Rebelsky, F., and Black, R. (1972). Crying in infancy. *Journal of Genetic Psychology*, 121, 49--57.
- Reding, G. R., Zepelin, H., Robinson, J. E., Smith, V. H., and Zimmerman, S. O. (1968). Sleep pattern of bruxism: A revision. *Psychophysiology*, 4, 396.
- Reid, A., Maldonado, C. C., and Baker, F. C. (2002). Sleep behavior of South African adolescents. *Sleep*, 25, 423--427.
- Reid, G. J., Hong, R. Y., and Wade, T. J. (2009). The relationship between common sleep problems and emotional and behavioral problems among 2- and 3-year-olds in the context of known risk factors for psychopathology. *Journal of Sleep Research*, 18, 49--59.
- Reid, M. J., Walter, A. L., and O'Leary, S. G. (1999). Treatment of young children's bedtime refusal and nighttime wakings: A comparison of "standard" and graduated ignoring procedures. *Journal of Abnormal Child Psychology*, 27, 5--16.
- Reijneveld, S. A., Brugman, E., and Hirasing, R. A. (2001). Excessive infant crying: The impact of varying definitions. *Pediatrics*, 108, 893--897.
- Reimão, R., and Lefèvre, A. B. (1980). Prevalence of sleep-talking in childhood. *Brain and Development*, 2, 353--357.
- Reppert, S. M. (1985). Maternal entrainment of the developing circadian system. *Annals of the New York Academy of Sciences*, 453, 162--169.
- Reuveni, H., Chapnick, G., Tal, A., and Tarasiuk, A. (1999). Sleep fragmentation in children with atopic dermatitis. *Archives of Pediatrics and Adolescent Medicine*, 153, 249--253.
- Reyner, L. A., and Horne, J. A. (2013). Sleep restriction and serving accuracy in performance tennis players, and effects of caffeine. *Physiology and Behavior*, 120, 93--96.
- Rhoades, K. A., Leve, L. D., Harold, G. T., Mannering, A. M., Neiderhiser, J. M., Shaw, D. S., Natsuaki, M. N., and Reiss, D. (2012). Marital hostility and child sleep problems: Direct and indirect associations via hostile parenting. *Journal of Family Psychology*, 26, 488--498.

- Richman, N. (1981). A community survey of one- to two-year-olds with sleep disruptions. *Journal of the American Academy of Child Psychiatry*, 20, 281--291.
- Richman, N., Douglas, J., Hunt, H., Lansdown, R., and Levere, R. (1985). Behavioural methods in the treatment of sleep disorders—a pilot study. *Journal of Child Psychology and Psychiatry*, 26, 581--590.
- Roane, B. M., and Taylor, D. J. (2008). Adolescent insomnia as a risk factor of early adult depression and substance abuse. *Sleep*, 31, 1351--1356.
- Roberts, R. E., Roberts, C. R., and Chen, I. G. (2002). Impact of insomnia on future functioning of adolescents. *Journal of Psychosomatic Research*, 53, 561--569.
- Robertson, R. M. (1974). Solids and “sleeping through.” *British Medical Journal*, 1, 200.
- Roehrs, T. A., Tietz, E. I., Zorick, F. J., and Roth, T. (1984). Day-time sleepiness and antihistamines. *Sleep*, 7, 137--141.
- Roenneberg, T., Allebrandt, K. V., Merrow, M., and Vetter, C. (2012). Social jetlag and obesity. *Current Biology*, 22, 939--943.
- Rosenfeld, A. A., Wenegrant, A. O., Haavik, D. K., Wenegrant, B. C., and Smith, C. R. (1982). Sleeping patterns in upper-middle-class families when the child awakens ill or frightened. *Archives of General Psychiatry*, 39, 943--947.
- Russo, R. M., Gururaj, V. J., and Allen, J. E. (1976). The effectiveness of diphenhydramine HCl in pediatric sleep disorders. *Journal of Clinical Pharmacology*, 16, 284--288.
- Ryu, J. E. (1985). Effect of maternal caffeine consumption on heart rate and sleep time in breast-fed infants. *Developmental Pharmacology and Therapeutics*, 8, 355--363.
- Sadeh, A. (1997). Sleep and melatonin in infants: A preliminary study. *Sleep*, 20, 185--191.
- Sadeh, A., Gruber, R., and Raviv, A. (2002). Sleep, neurobehavioral functioning, and behavior problems in school-age children. *Child Development*, 73, 405--417.
- Sadeh, A., Mindell, J. A., Luedtke, K., and Wiegand, B. (2009). Sleep and sleep ecology in the first 3 years: A web-based study. *Journal of Sleep*

Research, 18, 60--73.

- Salzarulo, P., and Chevalier, A. (1983). Sleep problems in children and their relationship with early disturbances of the waking-sleeping rhythms. *Sleep*, 6, 47--51.
- Salzarulo, P., Fagioli, I., Salomon, F., Duhamel, J. F., and Ricour, C. (1979). Alimentation continué et rythme veille-sommeil chez l'enfant. [Continuous feeding and the waking-sleeping rhythm in children.] *Archives Françaises de Pédiatrie*, 36 (Suppl.), 26--32.
- Sandyk, R. (1992). Melatonin and maturation of REM sleep. *International Journal of Neuroscience*, 63, 105--114.
- Scharf, R. J., Demmer, R. T., Silver, E. J., and Stein, R. E. K. (2013). Nighttime sleep duration and externalizing behaviors of preschool children. *Journal of Developmental and Behavioral Pediatrics*, 34, 384--391.
- Scher, A. (2008). Maternal separation anxiety as a regulator of infants' sleep. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 49, 618--625.
- Scher, A., Epstein, R., Sadeh, A., Tirosh, E., and Lavie, P. (1992). Toddlers' sleep and temperament: Reporting bias or a valid link: A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 33, 1249--1254.
- Scher, A., Hall, W. A., Zaidman-Zait, A., and Weinberg, J. (2010). Sleep quality, cortisol levels, and behavioral regulation in toddlers. *Developmental Psychobiology*, 52, 44--53.
- Scher, A., Tirosh, E., and Lavie, P. (1998). The relationship between sleep and temperament revisited: Evidence for 12-month-olds: A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 39, 785--788.
- Schmitt, J., Chen, C.-M., Apfelbacher, C., Romanos, M., Lehmann, I., Herbarth, O., Schaaf, B., Kraemer, U., von Berg, A., Wichmann, H.-E., Heinrich, J., and the LISA-plus Study Group. (2011). Infant eczema, infant sleeping problems, and mental health at 10 years of age: The prospective birth cohort study LISApus. *Allergy*, 66, 404--411.
- Schneider-Helmert, D., and Spinweber, C.L. (1986). Evaluation of

L-tryptophan for treatment of insomnia: A review.
Psychopharmacology, 89, 1--7.

- Schulz, H., Massetani, R., Fagioli, I., and Salzarulo, P. (1985). Spontaneous awakening from sleep in infants. *Electroencephalography and Clinical Neurophysiology*, 61, 267--271.
- Schulz, H., Salzarulo, P., Fagioli, I., and Massetani, R. (1983). REM latency: Development in the first year of life. *Electroencephalography and Clinical Neurophysiology*, 56, 316--322.
- Sears, W. (1995). *Nighttime Parenting: How to Get Your Baby and Child to Sleep*. New York: New American Library.
- Sedky, K., Bennett, D. S., and Carvalho, K. S. (2014). Attention deficit hyperactivity disorder and sleep disordered breathing in pediatric populations: A meta-analysis. *Sleep Medicine Reviews*, 18, 349--356.
- Seehagen, S., Konrad, C., Herbert, J. S., and Schneider, S. (2015). Timely sleep facilitates declarative memory consolidation in infants. *Proceedings of the National Academy of Sciences of the United States of America*, 112, 1625--1629.
- Sekine, M., Yamagami, T., Handa, K., Saito, T., Nanre, S., Kawaminami, K., Tokui, N., Yoshida, K., and Kagamimori, S. (2002). A dose-response relationship between short sleeping hours and childhood obesity: Results of the Toyama Birth Cohort Study. *Child: Care, Health and Development*, 28, 163--170.
- Shamir, R., St. James-Roberts, I., Di Lorenzo, C., Burns, A. J., Thapar, N., Indrio, F., Riezzo, G., Raimondi, F., Di Mauro, A., Francavilla, R., Leuchter, R. H., Darque, A., Hüppi, P. S., Heine, R. G., Bellaïche, M., Levy, M., Jung, C., Alvarez, M., and Hovish, K. (2013). Infant crying, colic, and gastrointestinal discomfort in early childhood: A review of the evidence and most plausible mechanisms. *Journal of Pediatric Gastroenterology and Nutrition*, 57(Suppl. 1), S1--45.
- Shaver, B. A. (1973). Maternal personality and early adaptation as related to infantile colic. In P. M. Schereshefsky and L. J. Yarrow (eds.), *Psychological Aspects of a First Pregnancy and Early Postnatal Adaptation* (209--215). New York: Raven Press.
- Shimada, M., Takahashi, K., Segawa, M., Higurashi, M., Samejima, M., and

- Horiuchi, K. (1999). Emerging and entraining patterns of the sleep-wake rhythm in preterm and term infants. *Brain and Development, 21*, 468--473.
- Short, M. A., Gradisar, M., Wright, H., Lack, L. C., Dohnt, H., and Carskadon, M. A. (2011). Time for bed: Parent-set bedtimes associated with improved sleep and daytime functioning in adolescents. *Sleep, 34*, 797--800.
- Simola, P., Liukkonen, K., Pitkäranta, A., Pirinen, T., and Aronen, E. T. (2014). Psychosocial and somatic outcomes of sleep problems in children: A 4-year follow-up study. *Child: Care, Health and Development, 40*, 60--67.
- Simonds, J. F., and Parraga, H. (1982). Prevalence of sleep disorders and sleep behaviors in children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry, 21*, 383--388.
- Simonds, J. F., and Parraga, H. (1984). Sleep behaviors and disorders in children and adolescents evaluated at psychiatric clinics. *Journal of Developmental and Behavioral Pediatrics, 5*, 6--10.
- Sivertsen, B., Harvey, A. G., Reichborn-Kjennerud, T., Torger-sen, L., Ystrom, E., and Hysing, M. (2015). Later emotional and behavioral problems associated with sleep problems in toddlers. *Journal of the American Medical Association Pediatrics, 169*, 575--582. doi:10.10001/jamapediatrics.2015.0187.
- Skjeie, H., Skonnord, T., Fetveit, A., and Brekke, M. (2013). Acupuncture for infantile colic: A blinding-validated, randomized controlled multicenter trial in general practice. *Scandinavian Journal of Primary Health Care, 31*, 190--196.
- Smedje, H., Broman, J. E., and Hetta, J. (2001). Short-term prospective study of sleep disturbances in 5- to 8-year-old children. *Acta Paediatrica, 90*, 1456--1463.
- Snow, M. E., Jacklin, C. N., and Maccoby, E. E. (1980). Crying episodes and sleep-wakefulness transitions in the first 26 months of life. *Infant Behavior and Development, 3*, 387--394.
- Soffer-Dudek, N., Sadeh, A., Dahl, R. E., and Rosenblat-Stein, S. (2011). Poor sleep quality predicts deficient emotion information processing

over time in early adolescence. *Sleep*, 34, 1499--1508.

- Spock, Benjamin. (1983). *Baby and Child Care*. New York: Pocket Books.
- Spring, B., Maller, O., Wurtman, J., Digman, L., and Cozolino, L. (1982--1983). Effects of protein and carbohydrate meals on mood and performance: Interactions with sex and age. *Journal of Psychiatric Research*, 17, 155--167.
- Spruyt, K., Aitken, R. J., So, K., Charlton, M., Adamson, T. M., and Horne, R. S. C. (2008). Relationship between sleep/wake patterns, temperament and overall development in term infants over the first year of life. *Early Human Development*, 84, 289--296.
- Spruyt, K., Molfese, D. L., and Gozal, D. (2011). Sleep duration, sleep regularity, body weight, and metabolic homeostasis in school-aged children. *Pediatrics*, 127, e345--e352.
- St. James-Roberts, I., Alvarez, M., Csipke, E., Abramsky, T., Goodwin, J., and Sorgenfrei, E. (2006). Infant crying and sleeping in London, Copenhagen and when parents adopt a "proximal" form of care. *Pediatrics*, 117, e1146--e-1155.
- St. James-Roberts, I., Alvarez, M., and Hovish, K. (2013). Emergence of a developmental explanation for prolonged crying in 1-- to 4--month--old infants: Review of the evidence. *Journal of Pediatric Gastroenterology and Nutrition*, 57(Suppl. 1), S30--S36.
- St. James-Roberts, I., Conroy, S., and Hurry, J. (1997). Links between infant crying and sleep-waking at six weeks of age. *Early Human Development*, 48, 143--152.
- St. James-Roberts, I., and Peachey, E. (2011). Distinguishing infant prolonged crying from sleep-waking problems. *Archives of Disease in Childhood*, 96, 340--344.
- St. James-Roberts, I., and Plewis, I. (1996). Individual differences, daily fluctuations, and developmental changes in amounts of infant waking, fussing, crying, feeding, and sleeping. *Child Development*, 67, 2527--2540.
- St. James-Roberts, I., Roberts, M., Hovish, K., and Owen, C. (2015). Video evidence that London infants can resettle themselves back to sleep after waking in the night, as well as sleep for long periods, by 3 months of

- age. *Journal of Developmental and Behavioral Pediatrics*, 36, 324–329.
- Ståhlberg, M.-R. (1984). Infantile colic: Occurrence and risk factors. *European Journal of Pediatrics*, 143, 108–111.
- Steinsbekk, S., and Wichstrøm, L. (2015). Stability of sleep disorders from preschool to first grade and their bidirectional relationship with psychiatric symptoms. *Journal of Developmental and Behavioral Pediatrics*, 36, 243–251.
- Stenger, K. (1956). Therapy of spastic bronchitis. *Medizinische Klinik*, 51, 1451–1455.
- Stepanski, E., Lamphere, J., Badia, P., Zorick, F., and Roth, T. (1984). Sleep fragmentation and daytime sleepiness. *Sleep*, 7, 18–26.
- Stéphan-Blanchard, E., Telliez, F., Léké, A., Djeddi, D., Bach, V., Libert, J.-P., and Chardon, K. (2008). The influence of *in utero* exposure to smoking on sleep patterns in preterm neonates. *Sleep*, 31, 1683–1689.
- Stifter, C. A., and Braungart, J. (1992). Infant colic: A transient condition with no apparent effects. *Journal of Applied Developmental Psychology*, 13, 447–462.
- Still, G. F. (1931). *The History of Pediatrics*. London: Oxford University Press.
- Stone, M. R., Stevenson, D., and Faulkner, G. E. J. (2013). Maintaining recommended sleep throughout the week is associated with increased physical activity in children. *Preventive Medicine*, 56, 112–117.
- Sullivan, C. E., Murphy, E., Kozar, L. F., and Phillipson, E. A. (1979). Ventilatory responses to CO₂ and lung inflation in tonic versus phasic REM sleep. *Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology*, 47, 1305–1310.
- Sundell, C. E. (1922). Sleeplessness in infants. *Practitioner*, 109, 89–92.
- Sung, V., Collett, S., de Gooyer, T., Hiscock, H., Tang, M., and Wake, M. (2013). Probiotics to prevent or treat excessive infant crying: Systematic review and meta-analysis. *Journal of the American Medical Association Pediatrics*, 167, 1150–1157.
- Sung, V., Hiscock, H., Tang, M. L. K., Mensah, F. K., Nation, M. L., Satzke, C., Heine, R. G., Stock, A., Barr, R. G., and Wake, M.

- (2014). Treating infant colic with the probiotic *Lactobacillus reuteri*: Double blind, placebo controlled randomised trial. *British Medical Journal*, 348, g2107.
- Takasu, N. N., Takenaka, Y., Fujiwara, M., and Toichi, M. (2012). Effects of regularizing sleep--wake schedules on daytime autonomic functions and psychological states in healthy university students with irregular sleep--wake habits. *Sleep and Biological Rhythms* 10, 84--93.
- Tan, T. L., Kales, J. D., Kales, A., Soldatos, C. R., and Bixler, E. O. (1984). Biopsychobehavioral correlates of insomnia. IV: Diagnosis based on DSM-III. *American Journal of Psychiatry*, 141, 357--362.
- Tandon, P., Gupta, M. L., Barthwal, J. P., Gupta, T. K., Parmar, S. S., and Bhargava, K. P. (1983). Role of monoamine oxidase-B in medroxyprogesterone acetate (17--acetoxy-6 alpha--methyl-4--pregnene--3, 20--dione) induced changes in brain dopamine levels of rats. *Steroids*, 42, 231--239.
- Tasanen, A. (1968). General and local effects of the eruption of deciduous teeth. *Annales Paediatricae Fenniae*, 14 (Suppl. 29).
- Taveras, E. M., Gillman, M. W., Peña, M.-M., Redline, S., and Rifas-Shiman, S. L. (2014). Chronic sleep curtailment and adiposity. *Pediatrics*, 133, 1013--1022.
- Terman, L. M. (1925). *Genetic studies of genius: Vol. 1. Mental and physical traits of a thousand gifted children*. Palo Alto: Stanford University Press.
- Terman, L. M., and Hocking, A. (1913). The sleep of school children: Its distribution according to age, and its relation to physical and mental efficiency. Part 1: The distribution of sleep according to age. *Journal of Educational Psychology*, 4, 138--147.
- Teti, D. M., and Crosby, B. (2012). Maternal depressive symptoms, dysfunctional cognitions, and infant night waking: The role of maternal nighttime behavior. *Child Development*, 83, 939--953.
- Teti, D. M., Kim, B.-R., Mayer, G., and Countermine, M. (2010). Maternal emotional availability at bedtime predicts infant sleep quality. *Journal of Family Psychology*, 24, 307--315.
- Thomas, A., and Chess, S. (1984). Genesis and evolution of behavioral disorders: From infancy to early adult life. *American Journal of*

Psychiatry, 141, 1--9.

- Thomas, A., Chess, S., and Birch, H. G. (1968). *Temperament and Behavior Disorders in Childhood*. New York: New York University Press.
- Tikotzky, L., Sadeh, A., and Glickman--Gavrieli, T. (2011). Infant sleep and paternal involvement in infant caregiving during the first 6 months of life. *Journal of Pediatric Psychology*, 36, 36--46.
- Tononi, G., and Cirelli, C. (2013). Perchance to Prune. *Scientific American*, 309, 34--39.
- Troxel, W. M., Trentacosta, C. J., Forbes, E. E., and Campbell, S. B. (2013). Negative emotionality moderates associations among attachment, toddler sleep, and later problem behaviors. *Journal of Family Psychology*, 27, 127--136.
- Twenge, J. M. (2015). Time period and birth cohort differences in depressive symptoms in the U.S., 1982--2013. *Social Indicators Research*, 12, 437--454.
- van der Helm, E., Gujar, N., and Walker, M. P. (2010). Sleep deprivation impairs the accurate recognition of human emotions. *Sleep*, 33, 335--342.
- Van Tassel, E. B. (1985). The relative influence of child and environmental characteristics on sleep disturbances in the first and second years of life. *Journal of Developmental and Behavioral Pediatrics*, 6, 81--86.
- Vendrame, M., and Kothare, S. V. (2011). Epileptic and nonepileptic paroxysmal events out of sleep in children. *Journal of Clinical Neurophysiology*, 28, 111--119.
- von Kries, R., Toschke, A. M., Wurmser, H., Sauerwald, T., and Koletzko, B. (2002). Reduced risk for overweight and obesity in 5-- and 6--y--old children by duration of sleep—a cross--sectional study. *International Journal of Obesity and Related Metabolic Disorders*, 26, 710--716.
- Vriend, J. L., Davidson, F. D., Corkum, P. V., Rusak, B., Chambers, C. T., and McLaughlin, E. N. (2013). Manipulating sleep duration alters emotional functioning and cognitive performance in children. *Journal of Pediatric Psychology*, 38, 1058--1069.
- Wake, M., Hesketh, K., and Lucas, J. (2000). Teething and tooth eruption in infants: A cohort study. *Pediatrics*, 106, 1374--1379.

- Watumura, S. E., Sebanc, A. M., and Gunnar, M. R. (2002). Rising cortisol at childcare: Relations with nap, rest, and temperament. *Developmental Psychobiology*, *40*, 33--42.
- Watanabe, K., Inokuma, K., and Negoro, T. (1983). REM sleep prevents sudden infant death syndrome. *European Journal of Pediatrics*, *140*, 289--292.
- Webb, W. B., and Agnew, H. W. (1974). Regularity in the control of the free-running sleep-wakefulness rhythm. *Aerospace Medicine*, *45*, 701--704.
- Webb, W. B., and Campbell, S.S. (1983). Relationships in sleep characteristics of identical and fraternal twins. *Archives of General Psychiatry*, *40*, 1093--1095.
- Weideman, C. L., Bush, D. L., Yan-Go, F. L., Clark, G. T., and Gornbein, J. A. (1996). The incidence of parasomnias in child bruxers versus nonbruxers. *Pediatric Dentistry*, *18*, 456--460.
- Weiler, N. (2014). A bedtime story. *Stanford Magazine*, September/October, 65.
- Weinraub, M., Bender, R. H., Friedman, S. L., Susman, E. J., Knoke, B., Bradley, R. H., Houts, R., and Williams, J. (2012). Patterns of developmental change in infants' nighttime sleep awakenings from 6 through 36 months of age. *Developmental Psychology*, *48*, 1511--1528.
- Weissbluth, L., and Weissbluth, M. (1992). Infant colic: The effect of serotonin and melatonin on circadian rhythms on the intestinal smooth muscle. *Medical Hypotheses*, *39*, 164--167.
- Weissbluth, M. (1981). Infantile colic and near-miss sudden infant death syndrome. *Medical Hypotheses*, *7*, 1193--1199.
- Weissbluth, M. (1981). Sleep duration and infant temperament. *Journal of Pediatrics*, *99*, 817--819.
- Weissbluth, M. (1982). Modification of sleep schedule with reduction of night waking: A case report. *Sleep*, *5*, 262--266.
- Weissbluth, M. (1984). *Crybabies*. New York: Arbor House.
- Weissbluth, M. (1984). Is drug treatment of night terrors warranted? *American Journal of Diseases of Children*, *138*, 1086.
- Weissbluth, M. (1984). Sleep duration, temperament, and Conners' ratings of

- three-year-old children. *Journal of Developmental and Behavioral Pediatrics*, 5, 120--123.
- Weissbluth, M. (1985). How sleep affects school performance. *Gifted Children Monthly*, 6, 14--15.
- Weissbluth, M. (1986--2006). Infant colic. In S. S. Gellis and B. M. Kagan (eds.), *Current Pediatric Therapy*, 12th--18th eds. Philadelphia: W. B. Saunders.
- Weissbluth, M. (1987). Sleep and the colicky infant. In C. Guilleminault (ed.), *Sleep and Its Disorders in Children* (129--140). New York: Raven Press.
- Weissbluth, M. (1995). Colic. In R. Ferber and M. Kryger (eds.), *Principles and Practice of Sleep Medicine in the Child* (75--78). Philadelphia: W. B. Saunders.
- Weissbluth, M. (1995). Naps in children: 6 months--7 years. *Sleep*, 18, 82--87.
- Weissbluth, M., Brouillette, R. T., Liu, K., and Hunt, C. E. (1982). Sleep apnea, sleep duration, and infant temperament. *Journal of Pediatrics*, 101, 307--310.
- Weissbluth, M., Christoffel, K. K., and Davis, A. T. (1984). Treatment of infantile colic with dicyclomine hydrochloride. *Journal of Pediatrics*, 104, 951--955.
- Weissbluth, M., Davis, A. T., and Poncher, J. (1984). Night waking in 4-- to 8--month-old infants. *Journal of Pediatrics*, 104, 477--480.
- Weissbluth, M., Davis, A. T., Poncher, J., and Reiff, J. (1983). Signs of airway obstruction during sleep and behavioral, developmental, and academic problems. *Journal of Developmental and Behavioral Pediatrics*, 4, 119--121.
- Weissbluth, M., Hunt, C. E., Brouillette, R. T., Hanson, D., David, R. J., and Stein, I. M. (1985). Respiratory patterns during sleep and temperament ratings in normal infants. *Journal of Pediatrics*, 106, 688--690.
- Weissbluth, M., and Liu, K. (1983). Sleep patterns, attention span, and infant temperament. *Journal of Developmental and Behavioral Pediatrics*, 4, 34--36.
- Weissbluth, M., Poncher, J., Given, G., Schwab, J., Mervis, R., and

- Rosenberg, M. (1981). Sleep duration and television viewing. *Journal of Pediatrics*, 99, 486--488.
- Weissbluth, M., and Weissbluth, L. (1992). Colic, sleep inertia, melatonin and circannual rhythms. *Medical Hypotheses*, 38, 224--228.
- Weissbluth, M. (2003). *Your Fussy Baby*. New York: Random House.
- Weissbluth, M. (2009). *Healthy Sleep Habits, Happy Twins*. New York: Random House.
- Weitzman, E. D., Czeisler, C. A., Coleman, R. M., Spielman, A. J., Zimmerman, J. C., Dement, W. C., Richardson, G., and Pollak, C. P. (1981). Delayed sleep phase syndrome. A chronobiological disorder with sleep-onset insomnia. *Archives of General Psychiatry*, 38, 737--746.
- Wessel, M. A., Cobb, J. C., Jackson, E. B., Harris, G. S., and Detwiler, A. C. (1954). Paroxysmal fussing in infants, sometimes called "colic." *Pediatrics*, 14, 421--435.
- White, B. P., Gunnar, M. R., Larson, M. C., Donzella, B., and Barr, R. G. (2000). Behavioral and physiological responsivity, sleep, and patterns of daily cortisol production in infants with and without colic. *Child Development*, 71, 862--877.
- Williams, C. D. (1959). The elimination of tantrum behavior by extinction procedures. *Journal of Abnormal and Social Psychology*, 59, 269.
- Winnicott, D. W. (1965). The capacity to be alone. In D. W. Winnicott, *The Maturation Processes and Facilitating Environment* (29--36). New York: International Universities Press.
- Witting, W., Mirmiran, M., Bos, N. P. A., and Swaab, D. F. (1993). Effect of light intensity on diurnal sleep--wake distribution in young and old rats. *Brain Research Bulletin*, 30, 157--162.
- Wladimirova, G. (1993). Study of cyclic structure of daytime sleep in normal infants aged 2 to 12 months. *Acta physiologica et pharmacologica Bulgarica*, 9, 62--69.
- Wolke, D., Gray, P., and Meyer, R. (1994). Excessive infant crying: A controlled study of mothers helping mothers. *Pediatrics*, 94, 322--332.
- Wolke, D., and Lereya, S. T. (2014). Bullying and parasomnias: A longitudinal cohort study. *Pediatrics*, 134, e1040--e1048.

- Wolke, D., Meyer, R., Ohet, B., and Riegel, K. (1995). Co-morbidity of crying and feeding problems with sleeping problems in infancy: Concurrent and predictive associations. *Early Development and Parenting*, 4, 191--207.
- Wolke, D., Rizzo, P., and Woods, S. (2002). Persistent infant crying and hyperactivity problems in middle childhood. *Pediatrics*, 109, 1054--1060.
- Wolverton, M. (2013). Chasing slumber. *Psychology Today*, 73--77.
- Wright, L., Woodcock, J., and Scott, R. (1970). Treatment of sleep disturbance in a young child by conditioning. *Southern Medical Journal*, 63, 174--176.
- Wright, P., MacLeod, H. A., and Cooper, M. J. (1983). Waking at night: The effect of early feeding experience. *Child: Care, Health and Development*, 9, 309--319.
- Yogman, M. W., and Zeisel, S. H. (1985). Nutrients, neurotransmitters and infant behavior. *American Journal of Clinical Nutrition*, 42, 352--360.
- Youngstedt, S. D., O'Connor, P. J., and Dishman, R. K. (1997). The effects of acute exercise on sleep: A quantitative synthesis. *Sleep*, 20, 203--214.
- Zeskind, P. S., and Huntington, L. (1984). The effects of within-group and between-group methodologies in the study of perceptions of infant crying. *Child Development*, 55, 1658--1665.

Index

- academic achievement
 - disturbed sleep, 549
 - irregular bedtimes, 556
 - late bedtimes, 560–61
 - naps, 560
 - sleep duration, 543, 546
 - SRBDs, 576
 - weekend catch-up sleep, 555–56
 - ADHD and SDB/SRBDs, 576–77
 - adolescents
 - action plan and summary, 563–64
 - bedtimes
 - academic achievement and late, 560–61
 - importance of consistent, 46–47, 556
 - parent-set, 206–7
 - physical activity and, 547
 - benefits to, from healthy sleep when young, 85–91
 - difficulty falling asleep, 547, 548–49
 - disturbed sleep of, 545–46, 549
 - exercise, 547, 600–601
 - increase in sleep needs, 13
 - nightmares, 569
 - reports from parents, 86–91, 548, 558–60, 561–62, 563
 - shifting sleep schedules
 - activities and school start times, 9, 98, 551–53, 554
 - described, 550–51
 - effects of chronic sleep deficiency, 553–54
 - naps and, 554–55
 - treatment, 551
 - weekend catch-up sleep, 555–56
 - sleep duration
 - academic achievement and, 543, 546
 - changes by age, 10, 11, 540
 - decrease in, 9, 538
 - mental health and, 544–45
 - school start time and, 552, 553
 - sleep-in days, 561–62
 - sleepovers, 562
- See also* children 7 through adolescence

Aldrich, C. Anderson, 290, 370
allergies, 571–72
arousals from sleep, 38–39, 40, 433–34,
567
assisted reproductive technology (ART), 310–11
athletic performance, 79
atopic dermatitis, 602
attachment parenting, 317–18, 393, 412
attachment theory, 243, 244–45, 251
attention deficit hyperactivity disorder (ADHD) and SDB/SRBDs, 576–77

baby monitor hazard, 55
Ballenger, William, 573–74
Bates, John E., 18, 46, 76–77, 160, 215, 396, 526, 532
Bayer, Jordan, 393
bedtimes

averages at
6 months, 429
1 year, 428, 429
3–6 year olds, 528

battles falling asleep, 434–35
call backs, 525
cognitive development and, 84
difficulty falling asleep versus resistance at, 533–34, 537
earlier
adolescents, 206–7, 547–48
fear of, 262–63
importance of, 44–45, 78
midmorning naps and, 517–18
months 4–12, 453–54, 479–83
parent-set much, 211–12, 511
parent-set slightly, 210–11
parent-set temporary, 207–8
to prevent overtiredness, 595
during transition to fewer naps, 30, 212, 487
weeks 6–8, 143–44, 335–36, 338–39, 340–41
years 2–3, 509
years 3–7, 524–25
years 9–16, 516

effect of small changes in, 77
5:30 rut, 213–15
importance of regular, 45–46, 47, 71–72, 215
late
for adolescents, 550, 551, 553, 560, 561
consequences of, 27–28, 46, 146, 527–28

- obesity and, 532
 - reasons given for, 30–35
 - school performance and, 509
 - temporarily, 521
- napping patterns and, 30, 508–9
- regularizing, 526–27, 532
- resets, 208–9
- routines
 - children 3-7 years, 524
 - importance and benefits of, 87–89, 91–95, 215
 - months 4—12, 420–21, 430–32
 - posting for older child, 526
 - prevention of sleep problems, 132–33, 215, 420, 430–32, 524
 - suggested, 132–33
- schedules of parents and siblings and, 535–36
- setting for years 1-7, 494
- trends
 - 6 months to 5 years, 206
 - preschool and school-age children, 534
 - years 1-7, 537
 - years 5-14, 539–40
 - years 10-14, 206
- trends over time, 428–30, 492–94
- using swings at, 197
- varying for infants 4-12 months, 422
 - bed-wetting, 578
 - behavior
- consolidated sleep and, 532
- daytime sleepiness and, 15–16, 18–19, 25
- importance of sleep for, 76
- late bedtimes and, 26–27, 46, 146, 526–28
- oppositional, 483
- overtiredness and
 - bedtimes and wake-up times, 205–6
 - earlier bedtimes to prevent, 595
 - naps and, 355
 - obesity and, 532–33
 - signs of, xviii–xix, 16, 17–18, 114
 - twins, 581
 - weight and, 599–600
- “second wind,” xviii–xix, 20–21
- self-soothing skills training and, 532
- sleep duration and, 12, 77, 531–32
- snoring and, 573–75
- “witching hour,” 19–20

See also temperament

- Bell, Janice, 25–26
- Berger, Rebecca, 25
- biological rhythms
- consequences of interfering with, 55–56, 438, 453
- infants, 47–48, 50, 329
- influence of mother's, 279
- months 3–4, 353, 403–5
- naps and, 197, 200
 - births, multiple, 310–11, 580–85
 - body rocking, 570
 - Boergers, Julie, 552
 - Bootzin, Richard R., 234
 - brain
- day versus night sleep in, 431
- maturation, 4, 305
- See also* cognitive development and performance
 - Brazelton, T. Berry, 292, 293, 333, 370
 - breast-feeding
- colicky babies, 298, 299, 411–12
- continuing despite exhaustion, 42–43
- co-sleepers and, 54–55
- family bed and, 410–11
- versus formula, 134–36, 139–40, 286
- healthy sleep and, 164–65
- nighttime feedings, 286
- older infants to sleep, 420–21
- relief bottles, 281
- sleep rhythms at 3–4 months and, 403–5
 - breathing issues, 437, 565–66, 571–76
 - bruxism, 565, 570
 - bullying and sleep problems, 565

- Carey, William, 308, 408, 599
- Carskadon, Mary, 552, 556
- Cartwright, Rosalind, 235
- chair method, 192–96
- check and console, 190–91
- Chess, Stella, 247, 375–79, 380
- child abuse, 601–2
- children 1–7 years
- action plan and summary, 536–37
- amount of sleep by age, 10, 11
- bedtimes, 537
 - average at 1 year, 428, 429
 - difficulty falling asleep versus resistance to, 537

- schedules of parents and siblings and, 535–36
- trends over time, 492–94
- bruxism, 565, 570
- cognitive development and performance, 82–84
- difficulty falling asleep, 533–34, 537
- fragmented sleep, 536–37
- months 12–15
 - nighttime sleep, 516–17
 - transition from 2 naps to 1, 517–21
- naps
 - attention span and, 10
 - average duration, 503–4
 - disappearance of midmorning, 521–22
 - individual stability of, 504–5
 - irregular schedule of, 513
 - long, 513–14
 - midday, of months 21–36, 522–23
 - number per day by age, 505–6
 - organized, scheduled activities and, 509–10
 - reasons for stopping, 536
 - refusal to take, 510–13
 - transition from 2 to 1, 517–22, 537
 - trends for daily number and percentage taking, 507–8
- nightmares, 569
- night terrors, 565, 567–68
- percent with digital and/or screen-based devices in bedrooms over time, 540, 541
 - children 1–7 years (*cont.*)
- sleep duration
 - average, 490–91
 - behavior problems, 531–32
 - temperament at 3 years and, 528–30
- sleeping through the night, 536–37
- sleep issues
 - arrival of new baby, 502
 - emotional problems later in life and, 533
 - fears, 498–500
 - getting out of crib or bed, 500–501
 - move to regular bed, 501–3
 - self-agency and, 496–97
 - waking during night, 494–96
- sleepwalking, 566
- transition from crib to bed, 523
 - children 3–7 years
- average wake-up times, 528
- bedtimes
 - average, 528

- call backs, 525
- earlier, 524–25
- routines, 524
- waking during nighttime sleep, 527
 - children 7–12 years, sleep duration and academic achievement, 543
 - children 7 through adolescence
- action plan and summary, 563–64
- amount of sleep by age, 10, 11
- bruxism, 565, 570
- nightmares, 569
- percent with digital and/or screen-based devices in bedrooms over time, 540–41
- reports from parents, 87–91
- sleep duration
 - academic achievement and, 543, 546
 - decrease in, 538
 - nightly needs, 543
- sleepwalking, 566
- See also* adolescents
 - children 9–16 years, importance of bedtimes and wake up times, 516
 - children 10–12 years, sleep and weight, 555
 - Christophersen, Edward, 229–32
 - chronotherapy, 551
 - circadian timing system
- consequences of interfering with, 48–49, 55–56, 70, 269
- described, 4–5
- first week, 281
- second month, 339
- See also* biological rhythms
 - classes (to improve child's performance), 270–73
 - Cobb, John C., 292
 - cognitive development and performance
- daytime sleepiness, 25
- naps, 10, 21–22, 81
- REM duration, 80–81
- sleep duration, 12–13
- sleep quality, 55–56, 68, 74
- See also* academic achievement
 - colds, 590
 - colicky infants
- age at longer nighttime sleep, 43
- age of beginning and of end of colic, 295, 347, 352, 408
- attachment parenting, 412
- breast-feeding, 298, 299, 411–12
- causes, 296–97
- diagnosing, 133–34, 294, 295, 303
- father's role, 310, 312–14, 314–15

- fussy versus, 293, 294–98
- mother's role, 308–10, 308–11, 313
- percentage of 8 week-olds, 31
- report from parents, 31–32
- self-soothing and, 144–45, 151, 319–28, 330
- sleep location, 299–300
- as sleep/wake disorder, 300–305
- soothing, 316–19, 348–49
- teaching self-soothing, 103–4
- temperament, 385
- treatment effectiveness, 305–7
- twins, 310–11
- waking during nighttime sleep, 304
 - confusional arousals, 567
 - consistency
- importance of, 269
- when making changes, 274
 - consolidated sleep
- action plan, 62
- behavior and, 532
- defined, 37
- encouraging, 522
- as quality sleep in phase with circadian rhythm, 55
 - cortisol levels
- fragmented sleep and, 39
- during naps, 16, 29
- non-REM sleep and, 81
- rhythm to, 48
 - co-sleepers. *See* family bed
 - creativity, 84
 - cribs
- versus family bed, 137–39, 299–300
- transition to bed from, 501–3, 523
 - crib tents, 216–17, 500–501
 - crying
- average amounts, 257, 416, 422–23
- development of sleep problems and, 417
- meaning of, 242–43
- parents' inability to allow, 241–42
- perfect timing and, xviii
- sleep solutions and
 - as harmful, 249–58
 - opinions about “let them cry,” 148–49, 237–39, 246–48
 - parents' inability to allow, 241–42
 - (*see also* extinction)
- uncategorized, 3 to 4 months, 370–71

by young infants, 290–94, 352–53, 354

See also colicky infants

Daniels, Robert, 159

“Day Correction of Bedtime Problems,” 229–32

daylight savings time, 579

day/night confusion, 64

daytime sleep. *See* naps

daytime sleepiness, assessing, 14–15

de Jong, E., 600

delayed sleep phase syndrome

activities and school start times, 551–53, 554

described, 550–51

effects of chronic sleep deficiency, 553–54

naps and, 554–55

treatment, 551

weekend catch-up sleep, 555–56

Dement, William C., 67, 249, 572

diet and sleep, 556–57, 601

Dieter Wolke, 565

Dinges, David, 57

disorganized sleep, 48–49

disturbed sleep, 438–39, 545–46, 549, 602

Dobson, Dawn, 306

Douglas, Pamela, 306

dual-career families, 594–95, 596–97

eczema, 602

educational games, videos, etc., 270–73

emotional problems, sleep problems as predictor of, 77, 533

exercise, 547, 555, 600–601

extinction (or unmodified extinction)

capping, 169, 171

check and console and, 190–91

crying during, 170–71, 185–86, 191, 257

effectiveness, 189–90

fading, 192–96

graduated, 186–88

intermittent reinforcement, 167, 184–85

at months 4–12, 432

overview of, 166–69

with parental presence, 169

reports from parents, 172–81, 183–85

reports from professional journals, 181–83, 253–56

extreme fussiness, 300–304

See also colicky infants

fading/fade procedure, 192–96, 525

Falbe, Jennifer, 539

family bed

chronic awakenings, 60–61

colicky babies and, 299–300

versus crib, 137–39

feeding and sleep rhythms at 3–4 months and, 403–5

moving baby out of, 410–11

SIDS and, 54–55, 65

father care

colicky infants and, 310, 312–15

feedings, 135, 136, 168

graduated extinction and, 187

involvement in solution, 275

naps and, 200, 366

post-colicky babies, 372–73

to relieve mothers, 149

in soothing, 107–11, 125

feeding

babies 4–12 months, 433–34, 476, 487–88

bottle versus breast, 134–36, 139–40, 286, 289

colicky babies, 298–99, 411–12

excessive, 599–600

during extinction, 167–69

during night, 155, 286, 287

sleep duration and, 6, 7

sleep rhythms at 3–4 months and, 403–5

solids, 139, 140

Foster, Josephine, 425, 491, 507, 508

fragmented sleep

action plan, 62

children 1–7 years, 536–37

described, 38–39

disruptions of circadian rhythm from, 55–56

effects, 17, 83, 536–37

late bedtimes and, 536

Frischer, Laya, 380–81

fussiness, 287–90, 293, 294–98, 317–18, 329–30

See also colicky infants

gates for rooms, 218

genetics, 5, 444
Groeger, John, 70
growing pains and nighttime waking, 440
Gruber, Reut, 77
Guilleminaut, Christian, 67, 572

Hagenauer, Megan, 547

Hall, Belinda, 306

head banging, 570

health and duration of sleep, 78–79

healthy sleep, elements of, 3–5

Henderson, Jacqueline, 106, 414–15, 416, 426–28, 516

Hiscock, Harriet, 95, 314

home offices, 592–94

homeostatic control mechanism, 4

hormone levels, 16, 296–97

See also cortisol levels

human body's inner clockwork. *See also* biological rhythms; circadian timing system

hunger and sleep duration, 6, 7

hyperactivity and SDB/SRBDs, 576–77

hyperarousal, xviii–xix, 20–21

Iglowstein, Igo, 206, 207, 424, 429, 490, 492, 508, 538, 539, 542

Illingworth, R. S., 294, 295, 307, 347

illnesses, frequent, 588–91

“increased latency to sleep,” 438

infant bonding theories, 243–44

infant-demand care, 317–18, 393

infants

amount of sleep by age, 10, 11

biological rhythms of, 47–48

cognitive development and performance, 80–82

modern challenges for parents, 66–67

sleep duration and temperament, 79

sleep rhythms, 24

universal natural factors, 66

See also colicky infants; older infants; young infants

information abundance, xx–xxi

injuries, 597–99

intermittent reinforcement, 167, 184–85

internal timing system. *See also* biological rhythms; circadian timing system

jet lag, coping with, 586–88

Keener, Marcia, 384
Kelly, Yvonne, 45
Keyes, Katherine, 538–39
Kim, Seog Ju, 505, 509
Kirjavainen, Jarkko, 301
Kleeman, James A., 292
Kurth, Salome, 76

Lam, Janet, 425
Lavigne, John, 508
Lavigne, Vicki, 159–60
Lewis, Michael, 244
lights and sleep, 7
local sleep, 68–69
locks for bedroom door, 218–19
Lonstein, Joseph, 309

Macknin, Michael, 439
Mahler, Margaret S., 247
Martin, Joanna, 314
Matricciani, Lisa, 61, 424, 455, 515–16, 539, 542

maturation and sleep turning points,
3–4

media devices in bedrooms

increase in, 232–33, 540

naps and, 202

problems from, 147–48, 232–33

reasons for, 541–42

sleep duration, 9

medications, 236, 251–52, 306, 556, 557, 568

melatonin, 7, 296–97, 557

melatonin rhythms, 48

Middlemiss, Wendy, 256

Miller, Alison, 555

Minde, Klaus, 107

Mindell, Jodi, 189

Morgenthaler, Timothy, 189

mother-baby interaction

night waking and, 395

sleep fragmentation and, 418

temperament, 395–97

mother-driven path

- night waking and, 386–93
- temperament and, 393–95
- use of term, 409
 - mothers
- with ADHD, 154
- age of, 310–11, 313
- with anxiety, 308–9
- biological rhythm, 279
- with depression, 95–96, 156–58, 309–10, 313, 314
- education of, 313
- return to work, 591–92
 - motionless sleep, 35–36, 39
 - mouth breathing during sleep, 437
 - movement, effect on sleep, *viii*
 - moving (residence) and sleep problems, 585–86
- Mugambi, Mary, 305
- multiple births, 310–11, 580–85

naps

- action plan, 62
- by adolescents, 551, 554
- bedtimes and
 - effect of earlier, 595
 - effect of late, 146, 508
 - needing 2 naps but getting 1, 478
 - pattern and, 30, 32
 - during transition to fewer, 212, 213
- naps (*cont.*)
- biological rhythms, 197, 200
- cognitive development and, 10, 21–22, 81
- cortisol levels, 16, 29
- drowsy signs and soothing, 129–31
- duration
 - by age, 444–46, 503–4
 - trends over time, 447, 506
- environmental factors affecting, 201, 202–3
- individual stability, of for years 1–7, 504–5
- irregular schedule of, 513
- length of, 28–29
- long, 513–14
- methods for extending length, 198–200
- midday
 - disappearance, 522–23
 - missing, 45
 - for months 4–12, 472–73, 486–87

- rhythm, 413–14
- midmorning
 - months 3–4, 355–58, 405, 466–67
 - months 12–15, 461–64, 467, 468–71, 486, 517–18
 - months 15–21, 521–22
 - post-colicky babies, 464–66
- months 4–12
 - deprivation, 447–53
 - late afternoon for, 474–75, 484–85, 487
 - midday, 472–73, 486–87
 - varying for, 422
- months 4–8 schedules, 456–58
- nighttime sleep and, 12, 25–26, 76, 354
- number per day by age, 27, 446–47, 505–6
- obesity and, 82
- parental influence over, 202–3, 365
- protecting, 368–69
- reasons for stopping, 536
- refusal to take, 478–80, 510–13
- REM sleep during, 26, 27, 80
- reports from parents, 357–58, 366–68, 512
- rhythm changes, 202
- scheduled activities and, 509–10
- social factors, 29
- starting in swings, 196–97
- structuring, 512–13
- temperament factors affecting, 82, 201
- timing of, 26, 29, 43–44, 63, 147, 358–59, 361–62, 473, 474
- transition from 2 to 1, 517–22, 537
- trends for daily number and percentage taking, 507–8
- wakefulness period before, 22–23, 28, 354–55, 360–61
- young infants' needs, 39–40
 - Neelon, Sara, 426
 - nervous system, excess arousal and fussiness and, 6
 - newborns. *See* young infants
 - new siblings, 501–3, 579–80
 - nightmares, 565, 568–69
 - night terrors, 565, 567–68, 597
 - nighttime sleep
- arousals during, 286–87
- call backs from child, 525
- of colicky infants, 43
- cortisol levels, 80–81
- development of fears, 498–500
- difficulty falling asleep
 - aches and pains complaints, 534–35

- adolescents, 547, 548–49
- children 1-7 years, 533–35
 - versus resisting bedtimes, 533–34
- mother-baby interaction, 395
- naps and, 12, 25–26, 76, 354
- night-sleep organization development, 360
- overstimulation and, 391–92
- post-colicky babies, 371–72
- preteens' needs, 543
- sleep schedule maintenance, 390–91
- timing of, 40–41, 63, 516
- wake-up time
 - adolescents, 550, 554
 - controlling, 203–6, 264
 - months 4-12, 454, 458–60
 - trend toward earlier, 542
 - years 1-7, 514–15
 - years 3-6, 528
 - years 9-16, 516
- waking during, 414–17, 426–28, 536–37
 - children 3-7 years, 527
 - colicky infants, 304, 494–96
 - for feeding, 433–34
 - months 4-12, 436–41
 - months 12-15, 516–17
 - at 12 months, 516–17
 - mother-driven influences and, 386–93
 - snoring and, 575
 - years 1-7, 494–96

See also bedtimes; sleep duration

- obesity/overweight
 - bedtimes and, 532
 - naps and, 82
 - nighttime sleep and, 25–26, 532–33
 - overtiredness as cause, 599–600
 - sleep duration and, 78–79, 532, 555
 - Ogden, Thomas, 392
 - older infants
 - action plan and summary, 273–74
 - average amounts of crying, 423
 - months 4–8
 - behaviors, 483–84
 - late afternoon issues, 474–75
 - midmorning nap, 461–64, 468–71

- refusal to take naps, 478–80
- self-agency, 423–24, 483
- sleep schedule, 456–62
- months 4–12
 - action plan and summary, 430–32, 486–89
 - bedtime routines, 420–21, 430–32
 - midday nap issues, 472–73
 - morning nap issues, 447–53
 - nap durations, 444–47
 - night wakings for feeding, 433–34
 - risks for sleep problems after 4 months, 402
 - short sleep durations, 441
 - sleeping through the night, 415, 427
 - sleep location, 443
 - twins, 583
 - unable to fall asleep, 442
 - varying bedtimes and naps, 422
- sleep duration, 8
 - oppositional behaviors, 483
 - overstimulation, 355
 - overtiredness
- bedtimes and wake-up times, 205–6
- earlier bedtimes to prevent, 595
- naps and, 355
- obesity and, 532–33
- signs of, xviii–xix, 16, 17–18, 114
- twins, 581
- weight and, 599–600
 - overweight babies. *See* obesity/overweight
 - Owens, Judith, 236, 426, 552–53

- pacifiers, 120–21, 332
- parents
 - with ADHD, 154
- dual-career, 594–95, 596–97
- stresses on, xxi–xxii, 530
- working at home, 592–94
- See also* father care; mother-baby interaction; mother-driven path; mothers
 - Parmelee, A. H., Jr., 102, 374
 - pass system, 229
 - patience, need for, xix–xx
 - Perry, Bruce, 252
 - persistent criers. *See* colicky infants
 - Petzoldt, Johanna, 309, 313
 - physical activity, 547, 555, 600–601

Pierce, Karen, 159
position and SIDS, 53–55
post-colicky babies
bedtime battles, 434–35
post-colicky babies (*cont.*)
midmorning naps, 464–66
nighttime sleep, 371–72, 386–93, 436–37
self-soothing skills, 465
tag/teaming and father care, 372–74
temperament, 375–85, 394–95
preschoolers. *See* children
prevention of sleep problems
action plan and summary, 160–62
bedtime routines, 132–33, 215, 420, 430–32, 524
earlier bedtimes, 143–44, 146
feeding and, 134–36
parent issues/barriers, 150–58
screen-based media devices in bedrooms, 147–48
sleep location, 137–39
therapist failure, 159–60
treatment versus, 148–49
See also self-soothing skills training
Price, Anna, 424, 425, 429, 490, 492, 506, 538, 539
privileges, removing, 222–23
proximal care, 317–18, 393

quiet alertness, 80–81

Radesky, Jenny, 313, 541
relaxation training, 233–34
REM sleep
duration of, 80–81
at 4 months, 457
during naps, 26, 27, 29, 466
scratching during, 602
rewards, giving, 193, 214–15, 221–22, 223
risk factors for sleep problems, 60–61
Roenneberg, Till, 555

Sadeh, Avi, 425, 491
scheduled awakenings, 189–90
Scher, Anat, 39
Sears, William, 250–53

- “second wind,” xviii–xix, 20–21
- Sedky, Karim, 576
- self-agency, 423–24, 483, 496–97
- self-soothing/quieting during daytime, 229–32
- self-soothing skills training
- age at which to start, 105–7
- behavior and, 532
- colicky infants, 103–4, 144–45, 151, 319–28, 330
- crying and, 125–27
- described, 104
- difficulty falling asleep and, 533
- father’s involvement, 107–11, 125
- feeding and, 282–83
- importance of, 105
- naps and, 129–31
- past drowsy signs, 114
- post-colicky babies, 465
- soothing methods, 477–78
 - massage, 122
 - pacifiers, 120–21, 332
 - placebo effect, 124
 - retrying, 332
 - rhythmic rocking, 117–18
 - sounds, 122–23
 - sucking, 119–21
 - swaddling, 121, 332
 - swing, stroller, car, and carrying, 118
 - useless and possibly dangerous, 123–24
- soothing resources, 127–29
- starting when drowsy but awake, 111–13, 115–16
 - separation anxiety, 476–77, 483–84, 498–500
 - serotonin, 296–97
 - Shamir, R., 305
 - Short, Michelle, 206
 - “signaling,” 37, 40, 286–87, 436–41, 494–96
 - silent return to sleep strategy, 223
 - Skjeie, Holgeir, 306
 - sleep
 - elements of healthy, 3–5
 - function of, 67–74
 - fundamental principles of, 67
 - importance of, 270–73
 - need for awareness of benefits, 97–100
 - overview of signs of problems, 164
 - sleep deficiency
- adolescents, 545

(*see also* delayed sleep phase syndrome)

effects of, xix, 19, 50–52, 58–59, 75

injuries and, 598–99

on nervous system, 17

obesity and, 25–26

sleep intensity increases to compensate, 59

subjective blindness to, 57–58

“sleep-disordered breathing” (SDB), 576

sleep duration

action plan, 62

adolescents

academic achievement and, 543, 546

changes by age, 10, 11, 540

decrease in, 9, 538

mental health and, 544–45

school start time and, 552, 553

amounts by age, 10, 11

behavior problems and, 531–32

cognitive development and, 12, 83–84

with digital and/or screen-based devices in bedrooms, 9, 540–41

health and, 78–79

hyperactivity/impulsivity and, 77

international differences, 516

obesity and, 532

older infants and children, 8, 441

for 1-7 years, 490–91

post-colicky babies, 371–72

short weekday with longer weekend, 555

snoring and, 574

temperament and, 79, 528–30

trends over time, 424–26, 429, 538

young infants, 5–8

sleep fragmentation, 37, 38–39, 55–56, 418, 536–37

sleep inertia, 22–23, 24, 597

sleeping through the night

months 3-4, 414–17

months 4-12, 426–28, 488

months 12-15, 516–17

years 1-7, 536–37

sleep location

colicky infants, 299–300

months 4–12, 443

prevention of problems and, 137–39

transition from crib to bed, 501–3, 523

years 1-7, 500–501, 500–503

See also family bed

- sleep logs, 216, 225, 275
 - “sleep-related breathing disorders” (SRBDs), 575–76
 - sleep rhythms
- earlier bedtimes at 6-8 weeks, 143–44
- of infants, 24
- sleep inertia and, 22, 23–24
 - “Sleep Rules” strategy
- indicator for end, 220–21
- for older children, 226
- poster, 219–20
- rewards and privileges, 221–23
- silent return to sleep, 223–24
- sleep logs, 225
- typical concerns, 226–29
 - sleep schedules, 42, 62–63
 - sleep solutions
- bedtime routines, 132–33, 215, 420, 430–32, 524
- consistency when making changes, 274
- crib tents, 216–17
- crying and
 - as harmful, 249–58
 - opinions about “let them cry,” 148–49, 237–39, 246–48
 - parents’ inability to allow, 241–42
- “Day Correction of Bedtime Problems,” 229–32
- exceptions to plan, 276
 - sleep solutions (*cont.*)
- factors in choosing, 237–41
- factors in starting, 258–62
- father’s role, 275
- handling conflicting goals, 263–64
- last measures, 217–19
- logs, 275
- medication, 236, 251–52
- nap drills, 198–200
- parent-set bedtimes, 206–15
- pass system, 229
- positive routines plus faded bedtime with response cost, 188
- relaxation training, 233–34
- removal of screen-based media from bedroom, 232–33
- scheduled awakenings, 189–90
- sound machines, 192
- stimulus-control and temporal-control treatments, 234–36, 515
- success factors, 193–94
- swings, 196–97
- types of, 237–38
- wake-up time control, 203–6, 264

See also extinction (or unmodified extinction); self-soothing skills training; “Sleep Rules” Strategy
sleep spas, 547–48
sleep talking, 565, 566–67
sleep training. *See* self-soothing skills training
sleepwalking, 565, 566
Sleep Wheel, 266–68
snoring, 437, 565–66, 572–76
social and emotional development, importance of sleep for, 75–76, 75–78
“social jet lag,” 555–56
soothing. *See* self-soothing skills training
sound machines, 192
Spruyt, Karen, 384
St. James-Roberts, Ian, 296, 301–2, 305, 317–18, 370
Stanford Sleepiness Scale, 14–15
stimulus-control treatment, 234–36, 515
Stone, Michelle, 555
stranger anxiety, 476–77, 483–84, 498–500
sudden infant death syndrome (SIDS), 53–55, 63, 97
Sundell, Charles E., 71–72
swings, 196–97

Tasanen, Arvi, 439
teeth grinding, 565, 570
teething, 439–40
temperament

changes in, 396, 397
characteristics, 376–79
development of sleep problems and, 102–3, 201
difficult described, 379–380
fussing/crying and, 398–401
infants’ sleep duration and, 79
mother-baby interaction and, 395–97
naps and, 82
post-colicky infants, 375–85, 394–95, 530
risk for sleep problems, 407–9
sleep as modulator of, 413
sleep duration and, 383–84, 396, 528–30
sleep strategies and, 402–3
temporal-control treatment, 234–36
Terman, Lewis, 55–56, 83, 550
Teti, Douglas, 156, 158, 313–14, 395
Thomas, Alexander, 247, 375–79, 380
Tikotzky, Liat, 107
time changes, 579
Tononi, Giulio, 67, 68

Troxel, Wendy, 531
tryptophan, 557
Twenge, Jean, 544–45
twins, 310–11, 580–85

unhealthy sleep habits, persistence of, xvii–xviii
uninterrupted sleep. *See* sleeping through the night


vacations, 586–88
Van Dongen, Hans, 57

Wake, Melissa, 439
wake-up times
adolescents, 550, 554
controlling, 203–6, 264
months 4–12, 454, 458–60
trend toward earlier, 542
years 1–7, 514–15
years 3–6, 528
years 9–16, 516
weekend catch-up sleep, 555–56
Weinraub, Marsha, 155
Weissbluth, Linda, 296–97
well-restedness, signs of, 18
Wessel, Morris, 294, 295, 303, 305, 394
Williams, Carl D., 181–83
Winnicott, D. W., 246–47
“wired” behavior, signs of, xviii–xix, 16, 17–18
“witching hour,” 19–20
Wolke, Dieter, 387–88
working at home, 592–94

young infants
action plans and summaries, 273–74
months 3–4, 417–19
weeks 1–4, 329–30
weeks 5–8, 349–51
crying, 290–94, 422–23
fussiness, 290
months 3–4
attachment parenting, 412
breast-feeding, 411–12

- feeding and sleep rhythms, 403–5
- mother-driven path, 386–93
- moving out of family bed, 410–11
- naps, 353, 354–69, 413–14, 466–67
- post-colic, 371–74, 375–85
- REM sleep, 457
- risks for sleep problems, 403–9
- sleeping through night, 414–17, 427
- sleep strategies, 402–3
- temperament, 375–85, 393–401, 413, 528–30
- uncategorized crying, 370–71
- napping needs, 39–40
- night-sleep organization, 42–43
- sleep duration, 5–8
- soothing
 - styles for, 363–66
 - timing of, 280
 - tips, 348–49
- week 1, 280–84
- weeks 2–4, 284–92
- weeks 5–6, 143–44, 331–35, 349–50
- weeks 7–8, 351
 - common challenges, 342
 - crying, 342–43, 344
 - earlier bedtimes, 143–44, 335–36, 338–39, 340–41
 - reports from parents, 333–34, 337–38, 345–46
 - sleep needs, 343–44

See also colicky infants



MARC WEISSBLUTH, M.D., has been a pediatrician since 1973. A leading researcher on sleep and children, he founded the original Sleep Disorders Center at Children's Memorial Hospital (now the Ann and Robert H. Lurie Children's Hospital of Chicago) and is a Professor of Clinical Pediatrics, Emeritus, at the Northwestern University Feinberg

School of Medicine. Dr. Weissbluth discovered that sleep is linked to temperament and that sleep problems are related to infant colic, and he coined the now-familiar phrase "sleep training" to describe his method for helping children learn how to fall asleep. His finding that changing the time a child is put to bed dramatically decreases the number of night awakenings was published in the prestigious journal *Sleep* in 1982. His landmark seven-year study on the development and disappearance of naps, also published in *Sleep* in 1995, highlighted the importance of daytime sleep. Since its original publication in 1987, *Healthy Sleep Habits, Happy Child* has sold more than a million copies and, in 12 foreign editions, helped millions of families the world over. Dr. Weissbluth was acknowledged by the American Academy of Pediatrics for his extensive contributions to the chapter "Your Child's Sleep" in their popular book for parents, *Caring for Your Baby and Young Child: Birth to Age 5*. Dr. Weissbluth is also the author of *Your Fussy Baby* and *Healthy Sleep Habits, Happy Twins*, and the producer of a CD, *Sweet Baby: Lullabies to Soothe Your Newborn*. Married to his wife, Linda, since 1965, he is the father of four sons and eight grandchildren—and they are all good sleepers. Dr. and Mrs. Weissbluth live in Chicago.

drweissbluth.com

About the Type

This book was set in Sabon, a typeface designed by the well-known German typographer Jan Tschichold (1902--74). Sabon's design is based upon the original letter forms of sixteenth-century French type designer Claude Garamond and was created specifically to be used for three sources: foundry type for hand composition, Linotype, and Monotype. Tschichold named his typeface for the famous Frankfurt typefounder Jacques Sabon (c. 1520--80).